

# PAC FIRE



## PRODUCT CATALOGUE



PAC FIRE  
QUEENSLAND BRANCH, AUSTRALIA

## ABOUT US

Pac Fire, a subsidiary company of Pacific Safety International (PSI), was established in 2000 with the founding vision of supplying the highest quality Personal Protective Equipment & Clothing (PPE/C) to Australasia's emergency services.

This core motivation has led Pac Fire to represent the standard for excellence in the PPE/C industry. Pac Fire's success is closely tied to two fundamental principles of dependable quality and exceptional performance.

Over the years, Pac Fire's range has grown to include over 500 individual products sourced from iconic brands such as Pacific Helmets, Icebreaker, Kappler, Kestrel, Blowhard, OSW, Pok, Underwater Kinetics, Adaro, YDS, Meret, Responder Wipes, SC Products and more.

Pac Fire's operations expanded over the Tasman in April 2017. Pac Fire New Zealand was established as a nation wide distributor of quality emergency rescue equipment and protective helmets.

Today, Pac Fire has distribution centres located on Queensland's Gold Coast, Kurralta Park, Adelaide and Whanganui on New Zealand's North Island. Convenient branch locations, in combination with comprehensive sales representation, deliver paramount customer service to the Australasian region.

Whilst the business has grown, the tradition of providing emergency service workers with the highest quality protective clothing and equipment is maintained.

## CONTACT US

### PHONE

**+64 6 3447391**

*from within New Zealand*

**+61 7 3441 7100**

*from within Australia*

### EMAIL

**SALES@PACFIRENZ.COM**

### WEBSITE

**WWW.PACFIRENZ.COM**

## OUR LOCATIONS

### NEW ZEALAND BRANCH

315 Heads Rd  
WHANGANUI 4541 NEW ZEALAND

**PH: +64 6 344 7391**

### QUEENSLAND BRANCH

62 Link Dr  
YATALA QLD 4207

**PH: +61 7 3441 7100**

### SOUTH AUSTRALIA BRANCH

4/48 Barwell Ave  
KURRALTA PARK SA 5037

**PH: +61 8 8297 1477**



<b>HELMETS</b>	<b>5-26</b>
STRUCTURAL FIREFIGHTING HELMETS	8-12
WILDLAND FIREFIGHTING HELMETS	13-15
RESCUE HELMETS	16-19
LIGHTING OPTIONS	20-21
ACCESSORIES	22-23
HELMET COMMUNICATIONS	24-25

<b>PROTECTIVE CLOTHING</b>	<b>27-37</b>
STRUCTURAL FIREFIGHTING GARMENTS	28-31
FLASH HOODS	34-35
ACCESSORIES	36-37

<b>GLOVES</b>	<b>39-42</b>
---------------	--------------

<b>FOOTWEAR</b>	<b>43-48</b>
STRUCTURAL FIREFIGHTING BOOTS	44-46
WILDLAND FIREFIGHTING BOOTS	47

<b>LIGHTING, TORCHES &amp; ACCESSORIES</b>	<b>49-54</b>
--	--------------

<b>BEACONS</b>	<b>55-60</b>
----------------	--------------

<b>FANS &amp; VENTILATION</b>	<b>61-63</b>
-------------------------------	--------------

<b>HOSE &amp; FITTINGS</b>	<b>64-68</b>
----------------------------	--------------

<b>CHEMICAL &amp; PROTECTIVE SUITS</b>	<b>69-72</b>
--	--------------

<b>BAGS &amp; STORAGE OPTIONS</b>	<b>73-82</b>
-----------------------------------	--------------

<b>MEDICAL BAGS</b>	<b>83-88</b>
---------------------	--------------

<b>TOOLS &amp; ACCESSORIES</b>	<b>89-104</b>
QUICK FIST CLAMPS	90-91
DRIP TORCH	92
GENFO FIREFIGHTING BACKPACK	92
RESCUE MANNEQUINS / DUMMIES	93-94
AC HOT STICK	95
JERRY CANS & ACCESSORIES	96-97
WEATHER METERS	98-100
TOOLS	101-103

<b>CLEANING &amp; RESPONDER HEALTH</b>	<b>105-111</b>
--	----------------

<b>NOTES</b>	<b>112-114</b>
--------------	----------------

<b>IMPORTANT INFORMATION</b>	<b>115</b>
------------------------------	------------

A104002	23	EFMAGBASE	60	LTRLN	93	PPVBH-20DP	62, 63	PRO1176	96, 97	RHS-2+	36
A104146	23	EFMAGCLIP	60	LTRLN10	93	PRO094-1	96, 97	PRO1177	96, 97	RS1120	84, 85
A115210	77	EFMBAG	60	LTRLN20	93	PRO0965	96, 97	PRO1179	96, 97	RS1123	84, 85
BAG2388	76	EFSBAG	60	LTRLN20A	93	PRO0966	96, 97	PRO1180	96, 97	RW13160	106, 107
BAG2388 BL	76	EFSCLIP	60	LTRLN30	93	PRO0967	96, 97	PRO13300	96, 97	RW13460	106, 107
BAG2388 RD	76	FH33	35	LTRLN5	93	PRO0972	96, 97	PRO13355	96, 97	S802578A	40, 41
BAG5813	77	FHPR9723ES	35	LTRLN50	93	PRO0973	96, 97	PRO23300	96, 97	SC-14F-032-6	26, 111
BAG5814	77	FHUFA-6	102	LTRLN70	93	PRO0974	96, 97	PRO23355	96, 97	UKT10034+	21, 53
BAG5816	76	FHUHNC-30	102	M22-000600	101	PRO0980	96, 97	PTT20	24	UKT17018	21, 53
BAG5816 BL	76	FHUPUL-5	102	M22-000622	101	PRO0990C	96, 97	QF10012	90	UKT22101	54
BAG5816 RD	76	FRONTLINE 500	72	MS101	86	PRO0991C	96, 97	QF20023	90	UKT514609-7A+	21, 53
BAG5817	74, 75	FS-C-001-4	37, 111	MS101A	86, 88	PRO0993C	96, 97	QF30055	90	UKT514703	54
BAG5817 BL	74, 75	FS-C-032-6	37, 111	MS101C	86, 87, 88	PRO0995C	96, 97	QF40023	91	UKT530084	103
BAG5817 RD	74, 75	FWF2AR1352	47	MS101F	86	PRO1040	96, 97	QF50052	91	ZYTRON 400	71
BAGMESH	78	FWF2AR1354	44, 45	MS101HV	86	PRO1040+	96, 97	QF60023	90	ZYTRON 500	70
BAGPPC	78	FWFF300GTXIN	47	MS101J	86, 88	PRO1040M	96, 97	QF80023	91	ZYTX010YE	103
BCRPFL FW G	92	FWFSF8	46	MS101L	88	PRO1041	96, 97	RAKDSSEC-20+	80, 81		
C.1000	51	GFSKCU	42	MS101TB	86	PRO1041+	96, 97	RAKHC-64-2T	82		
CF5H580 91	72	GFWN3	42	MS107	88	PRO1041M	96, 97	RAKHC-64-3T	82		
CS99402YE	71	GFWWCU	42	MS107-PC	88	PRO1042	96, 97	RAKMH-80	82		
CZ4H426	71	GFWWCW	42	MS108FN	87	PRO1042+	96, 97	RAKMPPE-EW	110		
CZ5H580 OR	70	HBR5 CVFS	15	MS108FN-HV	87	PRO1042M	96, 97	RAKPPPE/2G	110		
DOT-01	78, 109	HBR9SCVMF	14	MS108TB	87	PRO1043	96, 97	RAKRFD5	79		
DOT-02	78, 109	HBR9SCVMF	13	MS108TBN	87	PRO1043+	96, 97	RAKRFD5-4/20+	79		
EF500CM	60	HBR9WBVMF	14	MK0805	100	PRO1043M	96, 97	RAKRFD5-6/20+	79		
EFAT280	58	HF10 MKVGEN2	11	MK3000	98, 99	PRO1044	96, 97	RAKRFD5-8/20+	79		
EFAT280A	58	HF10MK3	11	MK3500	100	PRO1044+	96, 97	RAKRFD5-10/20+	79		
EFAT280B	58	HF11 EP GEN2	10	MM20	24	PRO1044M	96, 97	RAKRFD5-15/20+	79		
EFAT280R	58	HF15 OTEP GEN2	8, 9	MVIC-08623.MVN	103	PRO1045	96, 97	RAKRFD5-2/20+	79		
EFAT280W	58	HF3DMK2	12	OK09718	68	PRO1045+	96, 97	RAKRFD5-3/20+	79		
EFAT283	58	HR55	19	PAC DH-TC-45	104	PRO1045M	96, 97	RAKRFD5-5/20+	79		
EFAT283AW	58	HR6CFS	18	PAC DH-TC-70	104	PRO1046	96, 97	RAKRFD5-6/20+	79		
EFAT283RB	58	HR6DOM	18	PAC DH-WC-1+	104	PRO1046+	96, 97	RAKRFD5-8/20+	79		
EFAT283RW	58	HR6R PRV5	19	PAC RAMP75	101	PRO1046M	96, 97	RAKRFD5-10/20+	79		
EFAT290	56	HR6V	16, 17	PACHSSE25/30	66	PRO1048	96, 97	RAKRFD5-12/20+	79		
EFAT290 A	56	HSBN900502	95	PACHSSE38/30	66	PRO1050	96, 97	RAKRFD5-14/20+	79		
EFAT290 B	56	HUCS	25	PACHSSSHV25/30	65	PRO1051	96, 97	RAKRFD5-15/20+	79		
EFAT290 G	56	I200549	92	PACHSSSHV38/30	65	PRO1095	96, 97	RAKRFD5-16/20+	79		
EFAT290 R	56	IPCSR	67	PACHSU25/30	66	PRO1096	96, 97	RAKRFD5-18/20+	79		
EFAT293	56	IPCSR25	67	PACHSU38/30	66	PRO1097	96, 97	RAKRFD5-20/20+	79		
EFAT293 BW	56	IPCSR38	67	PACHSU52/30	66	PRO1150	96, 97	RAKRFD5-22/20+	79		
EFAT293 RA	56	IPCSR52	67	PACHSU65/30	66	PRO1151	96, 97	RAKRFD5-24/20+	79		
EFAT293 RB*	56	IPCSR65	67	PACHSU65/30	66	PRO1152	96, 97	RAKRFD5-26/20+	79		
EFAT293 RW	56	IPST038	67	PACMONOFLEX OR 25/60	65	PRO1153	96, 97	RAKRFD5-28/20+	79		
EFAT700	58	IPST052	67	PF950++	22	PRO1155	96, 97	RAKRFD5-30/20+	79		
EFAT700A	58	KL200	34, 108	PFTS950	22	PRO1156	96, 97	RAKRFD5-32/20+	79		
EFAT700B	58	L1	20, 52	POK05010	67	PRO1157	96, 97	RAKRFD5-34/20+	79		
EFAT700G	58	L.3000P	51	POK09049	68	PRO1158	96, 97	RAKRFD5-36/20+	79		
EFAT700R	58	L.5000	50	POK12697	68	PRO1160	96, 97	RAKRFD5-38/20+	79		
EFAT700W	58	L.SPLUS.R	20, 52	POK16005 NEN	68	PRO1161	96, 97	RAKRFD5-40/20+	79		
EFAT730	58	L.SPLUS.S	20, 52	POK25399	67	PRO1162	96, 97	RAKRFD5-42/20+	79		
EFAT730RB	58	LCFS.1	50	POK25399+	67	PRO1163	96, 97	RAKRFD5-44/20+	79		
EFBASE	60	LTRLFH	94	POK25408	67	PRO1165	96, 97	RAKRFD5-46/20+	79		
EFBASEAV	60	LTRLFH10	94	POK26076	68	PRO1166	96, 97	RAKRFD5-48/20+	79		
EFEMS++	59	LTRLFH20	94	POK28712	68	PRO1167	96, 97	RAKRFD5-50/20+	79		
EFEMS++ RA	59	LTRLFH30	94	POK6355	67	PRO1168	96, 97	RAKRFD5-52/20+	79		
EFEMS++ RB	59	LTRLFH5	94	POK6355+	67	PRO1172	96, 97	RAKRFD5-54/20+	79		
EFEMS++ RW	59	LTRLFH50	94	POK6356	67	PRO1173	96, 97	RAKRFD5-56/20+	79		
EFHOOD2	60	LTRLFH70	94	POK8179	67	PRO1174	96, 97	RAKRFD5-58/20+	79		



# HELMETS & ACCESSORIES



## PACIFIC HELMETS

In 1980, Pacific Helmets was established as a manufacturer of quality Motorcycle Helmets based in Whanganui on the North Island of New Zealand. In 1984, the focus of the Company began to shift in line with the development of the F2 Structural Firefighting Helmet and its inception into the New Zealand Firefighting Service.

Over the years that followed the development of the F2, Pacific Helmets has gained certification from all reputable safety standards organisations globally.

Pacific Helmets now specialises in manufacturing and exporting safety helmet products that balance paramount protection with design functionality and wearer comfort.

Flexible manufacturing processes and an innovative design team allow Pacific Helmets to offer customers the ability to customise helmets to suit their exact requirements and preferences.

Today, Pacific's range exceeds 100 individual helmet models with thousands of options for customisation to meet both individuals and services needs.

## ACHIEVEMENTS & MILESTONES

- 1980** Pacific Helmets was founded and began selling Motorcycle Helmets to the Australasian market
- 1984** With the development of the Pacific F2, Pacific Helmets tenders for, and wins, the supply of Structural Firefighting Helmets into the New Zealand Fire Service
- 1986** Pacific Helmets start to manufacture Bicycle Helmets ahead of law being passed in 1994 to make them compulsory in New Zealand
- 1990** Awarded the tender for supply of Structural Firefighting Helmets for London Fire Brigade with the Pacific F3. A win which would spark a major take up of the Pacific Helmets brand across England and the greater United Kingdom.
- 1993** Following the adoption of the F3 by the London Fire Brigade, Pacific Helmets were awarded the supply of Structural Firefighting Helmets for Hong Kong Fire Department
- 1995** Pacific Helmets starts supplying helmets to the British Ambulance Service including Northern Ireland




- 1997** Most metropolitan and some country Fire Services across Australia start purchasing Pacific Structural and Wildland helmets
- 2000** A specialised range of rescue helmets is developed and launched including the R7 and R5 which is still one of the most popular rescue helmets on the market today
- 2000** The Australian SES adopts the new Pacific R5 Rescue Helmet. The R5 is still the helmet of choice for the SES today, 18 years later
- 2008** Revolutionary OTEP™ (One Touch Eye Protector) developed by Pacific Helmets for introduction into selected Structural Firefighting Helmets
- 2015** Pacific Helmets wins the SILVER award at the Best Design Awards (NZ) for the F10 Mk5 Structural Firefighting Helmet
- 2015** After years of research and development the Pacific F15 is released, creating industry excitement
- 2016** Pacific Helmets wins the GOLD award at the Best Design Awards (NZ) for the R6R Rescue Helmet
- 2017** Pacific Helmets wins the SILVER award at the Best Design Awards (NZ) for the F15 Structural Firefighting Helmet
- 2017** A revolution in water safety is developed by Pacific Helmets. The R6V MkII 'Seeker', designed specifically for water rescue and water recreation is released
- 2018** Pacific Helmets is nominated for the 'International Achievement of the Year' award, which has come as a result of the establishment of distribution networks in China, and opening an office in the Netherlands





Best Design Awards  
Winner 2017



## HELMET FEATURES

- 1** DuPont™ Kevlar® & fibreglass reinforced composite shell
- 2** Advanced polymer chassis
- 3** GEN2 full cranium polyurethane impact liner
- 4** 6-point Ribbon suspension system with padded air mesh
- 5** 4-point Nomex® chin strap with leather cheek padding
- 6** Quick release buckle
- 7** Flame resistant Nomex® neck protector
- 8** Pacific ratchet adjustable headband with pivot nape strap
- 9** Dual pivot face shield
- 10** OTEP™ (One Touch Eye Protector)
- 11** Reflective trim

- 12** Two Easi On-Off Bases for torches (EOB)
- 13** Hands-free comms bracket
- 14** Rear storage hanger
- 15** Front plinth with reflectors
- 16** Adapter plates
  - Adaptor plates can be swapped out for SCBA adaptor plates
  - Optional: Front mounted Vizion 1 light plinth (sold separately)

PRODUCT SPECIFICATIONS		
Product Code	HF15 OTEP GEN2	
Application	Structural Firefighting	
Certification	AS/NZS 4067:2012 EN443:2008* NFPA 1971:2018*	EYEWEAR CERTIFICATION AS/NZS 1337.1:2010

\* Also available certified to:

## PACIFIC F15 STRUCTURAL FIREFIGHTING HELMET



The next generation in structural firefighting helmets is available from Pac Fire.

The Pacific Helmets F15 is the perfect combination of safety, comfort and quality protection.

Manufactured from the unique DuPont™ Kevlar® and fibreglass composite shell that has made Pacific Helmets synonymous with fire and rescue helmets.

This jet style design helmet is compatible with modern comms equipment and the clear face shield can be completely deployed over all major breathing apparatus masks.



OTEP™  
(ONE TOUCH EYE  
PROTECTOR)



COMMS  
COMPATIBLE



## PACIFIC F11 DRAGONFLY

The Pacific F11 offers a fresh take on structural firefighting helmet design. The F11 has been designed to maximise protection and practicality for the diverse range of duties modern Emergency Service personnel are called on to perform.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Accentuated shell lines
- Easi On-Off Base for torch (EOB)
- Earmuff brackets
- Premium reflective trim
- GEN2 full cranium polyurethane impact liner
- Clear, clip on face shield
- Pull-down internal eye protection
- 4-point chin strap with leather cheek padding

- Pacific quick release buckle
- Rear storage hanger
- Flame resistant Nomex® neck protector
- Pacific ratchet adjustable headband with pivot nape strap
- 6-point ribbon cradle harness with padded air mesh

PRODUCT SPECIFICATIONS		
Product Code	HF11 EP GEN2	
Application	Structural Firefighting	
Certification	AS/NZS 4067:2012 *NFPA 1971:2013 *NFPA 1951:2013	EYEWEAR CERTIFICATION AS/NZS 1337.1:2010 ANSI Z87:2015 *EN166:2001

*\* Also available certified to:*



## PACIFIC F10 MKV

F10 MkV is incredibly lightweight, the shape and low ride height contribute to the balanced feel of the helmet. The accentuated longitudinal crest provides additional shock absorption and structural rigidity. Features like the internal bubble face shield and one-touch™ eye protection safeguards the eyes.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Accentuated longitudinal crest
- Two Easi On-Off Bases for torches (EOB)
- Premium reflective trim
- GEN2 full cranium polyurethane impact liner
- Internal “bubble” face shield
- OTEP™ (One Touch Eye Protector)
- 3-point chin strap with leather cheek padding
- Pacific quick release buckle
- Rear storage hanger
- Flame resistant Nomex® neck protector
- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness

## PACIFIC F10 MKIII

The F10 MkIII embodies Pacific’s core design philosophies of safety, quality, and comfort. Design features include internal bubble face shield and unique One Touch Eye Protector. Accentuated shell lines provide improved shock absorption and structural rigidity.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Accentuated longitudinal crest
- Two Easi On-Off Bases for torches (EOB)
- Premium reflective trim
- Full cranium polyurethane impact liner
- Internal “bubble” face shield
- OTEP™ (One Touch Eye Protector)
- 3-point chin strap with leather cheek padding
- Pacific quick release buckle
- Rear storage hanger
- Flame resistant neck protector
- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness

PRODUCT SPECIFICATIONS		
Product Code	HF10 MKVGEN2	
Application	Structural Firefighting	
Certification	AS/NZS 4067:2012 *EN443:2008 *NFPA 1971:2013 *NFPA1951: 2013	EYEWEAR CERTIFICATION AS/NZS 1337.1:2010 ANSI Z87:2015 *EN166:2001 *EN14458:2004

\* Also available certified to:

PRODUCT SPECIFICATIONS		
Product Code	HF10MK3	
Application	Structural Firefighting	
Certification	AS/NZS 4067:2012 *EN443:2008 *NFPA 1971:2013 *NFPA1951: 2013	EYEWEAR CERTIFICATION AS/NZS 1337.1:2010 ANSI Z87:2015 *EN166:2001 *EN14458:2004

\* Also available certified to:



## PACIFIC F3D MKII

The Pacific F3D MkII is a cornerstone model of the Pacific range. It is used around the world and has a proven track record of being an extremely safe, robust and long lasting helmet. The traditional design includes a wide, rear brim offering additional shielding for the back of the head and neck.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Easi On-Off Base for torch (EOB)
- Premium reflective trim
- Unique full cranium polyurethane liner
- Clear face shield
- 2-point chin strap
- Pacific quick release buckle

- Rear storage hanger
- Flame resistant neck protector
- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness with mesh

PRODUCT SPECIFICATIONS	
Product Code	HF3DMK2
Application	Structural Firefighting
Certification	AS/NZS 4067:2012 *EN443:2008

*\* Also available certified to:*



## PACIFIC BR9 STANDARD

The BR9 from Pacific Helmets is a popular lightweight bushfire helmet. The standard shape incorporates a narrow side brim and multiple crown ridges allow for extra strength and air flow.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Multi-ridge impact protection
- Standard brim design
- Easi On-Off Base for torch (EOB)
- Earmuff brackets
- Goggle mount
- Premium reflective trim
- Clear, clip on face shield
- 3-point chin strap

- Pacific quick release buckle
- Flame resistant neck protector
- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness with mesh

^ Reflective trim not shown in image - must be fitted for Type 3 certification

PRODUCT SPECIFICATIONS	
Product Code	HBR9SCVMF
Application	Wildland Firefighting Technical Rescue Industry Work
Certification	AS/NZS1801:1997 ^Type 3



## PACIFIC BR9 CAP STYLE

The BR9 is a versatile head protection platform for Emergency Services that can support a full range of accessories. The Cap Style Shell design has a short front brim, no rear brim and a scallop cut on both sides for better earmuff mounting and stowage.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Multi-ridge impact protection
- Cap style design
- Easi On-Off Base for torch (EOB)
- Earmuff brackets
- Premium reflective trim
- Clear, clip on face shield
- 3-point chin strap
- Pacific quick release buckle
- Flame resistant neck protector
- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness with mesh

## PACIFIC BR9 WIDE BRIM

All the features of the popular standard BR9 with the addition of a wider brim over the sides of the helmet. The wider brim offers more protection to the side of the head while also directing water and precipitation away from the neck.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Multi-ridge impact protection
- Wider brim over the sides of the helmet
- Easi On-Off Base for torch (EOB)
- Earmuff brackets
- Premium reflective trim
- Clear, clip on face shield
- 3-point chin strap
- Pacific quick release buckle
- Flame resistant neck protector
- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness with mesh

^ Reflective trim not shown in image - must be fitted for Type 3 certification

### PRODUCT SPECIFICATIONS

Product Code	HBR9SCVMF
Application	Wildland Firefighting Technical Rescue Industry Work
Certification	AS/NZS1801:1997 Type 3

### PRODUCT SPECIFICATIONS

Product Code	HBR9WBCVMF
Application	Wildland Firefighting Technical Rescue Industry Work
Certification	AS/NZS1801:1997 ^Type 3



## PACIFIC BR5 MKII

Pacific's heritage wildland firefighting helmet. The classic design focuses on delivering safety, quality, and comfort to the user.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Single ridge design
- Wide brim style
- Easi On-Off Base for torch (EOB)
- Premium reflective trim
- Clear, clip on face shield
- 3-point chin strap
- Pacific quick release buckle
- Flame resistant neck protector

- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness

^ Reflective trim not shown in image - must be fitted for Type 3 certification

PRODUCT SPECIFICATIONS	
Product Code	HBR5 CVFS
Application	Structural Firefighting
Certification	AS/NZS1801:1997 ^Type 3 ANSI 299.1 ^Type 3

\* EN397

\* Also available certified to:



## HELMET FEATURES

- 1** Fibretuff composite shell
- 2** Pacific ratchet adjustable headband with pivot nape strap
- 3** Pacific low profile buckle
- 4** 4-point chin strap
- 5** Engineered water release holes
- 6** Form moulded PE padding
- 7** DSVS™ (Dynamic Sealed Ventilation System)
- 8** Premium reflective trim
- 9** Easi On-Off Base for torch
- 10** Rubber straps to secure accessories



**SPECIALISED  
WATER RESCUE**



**COMMS  
COMPATIBLE**

### PRODUCT SPECIFICATIONS

Product Code	HR6V
Application	Technical Rescue
Certification	EN 1385:1997 SELECT CLAUSES OF: EN 443:2008

## PACIFIC R6V MKII WATER RESCUE HELMET



NEW

The R6V MkII Seeker from Pacific Helmets has been designed specifically for water rescue and water recreation applications.

Made with a Fibretuff composite shell the Seeker provides integral strength and excellent penetration protection. This lightweight shell is chemical and UV resistant with inherent heat and flame resistance.

The specialised ventilation system can be opened and closed depending on the situation - when closed the vent is sealed, water tight.





## PACIFIC R6 CHALLENGER

Contemporary design meets function - the Challenger rescue helmet is the definition of 'multi-purpose'. It is fully certified to the widest range of rescue helmet standards available and offers optimum protection for both wildland firefighting and technical rescue applications.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Easi On-Off Base for torch
- Earmuff brackets
- Goggle mount
- Premium reflective trim
- Unique polyurethane cap
- Shock absorbing ultrastop padding
- Clear, clip on face shield
- 4-point chin strap
- Pacific low profile buckle
- Flame resistant neck protector
- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness with air mesh

^ Neck protector and reflective trim not shown in image - must be fitted for Type 3 certification

## PACIFIC R6 DOMINATOR (R6V)

The 'Dominator' is made for complex rescue situations. It sports a modern and compact design that focuses on user comfort and protection. Featuring the Pacific Dynamic Sealed Ventilation System™ and internal eye protection the R6V is up to just about any challenge.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Easi-on-off (EOB) torch base
- Earmuff brackets
- Goggle mount
- Premium reflective trim
- Unique polyurethane cap
- Shock absorbing ultrastop padding
- DSVS™ (Dynamic Sealed Ventilation System)
- Pull-down internal eye protection
- 4-point chin strap
- Pacific low profile buckle
- Flame resistant neck protector
- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness with air mesh
- 4-point bungee strap

PRODUCT SPECIFICATIONS		
Product Code	HR6CFS	
Application	Wildland Firefighting Technical Rescue	
Certification	AS/NZS 1801:1997 ^Type 3 *NFPA 1951:2013	*EN397:2012 *EN16471:2014 *EN16473:2014

\* Also available certified to:

PRODUCT SPECIFICATIONS		
Product Code	HR6DOM	
Application	Technical Rescue	
Certification	AS/NZS 1801:1997 Type 1 & 2 EN12492:2012	*EN12492:2012 *EN397:2012 *EN16471:2014 *EN16473:2014

\* Also available certified to:



Best Design Awards  
Winner 2016

## PACIFIC R6 PATROLLER (R6L)

A tactical rescue helmet with a unique rail system to accommodate several different accessories. A great head protection solution for USAR, Paramedics, technical rescue workers and wildland firefighters.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- VAS accessory shroud
- Accessory rails
- Pacific edge beading
- Premium reflective trim
- Unique polyurethane cap
- Shock absorbing ultrastop padding
- 4-point chin strap
- Pacific low profile buckle
- Flame resistant neck protector
- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness with air mesh

^ Neck protector and reflective trim not shown in image - must be fitted for Type 3 certification



## PACIFIC R5S

The Pacific R5S is the helmet of choice for many rescue crews around the globe. This popular helmet strikes the perfect balance between wearer comfort and protection while incorporating all the features you expect from a Pacific Helmet.

- DuPont™ Kevlar® & fibreglass reinforced composite shell
- Easi-on-off (EOB) torch base
- 3-Point chin strap
- Pacific quick release buckle
- Flame resistant neck protector
- Pacific ratchet adjustable headband
- 6-point ribbon cradle harness
- Communications bracket

PRODUCT SPECIFICATIONS	
Product Code	HR6R PRVS
Application	Wildland Firefighting Technical Rescue
Certification	AS/NZS 1801:1997 ^Type 3 *NFPA 1951:2013 *EN16471:2014 *EN16473:2014

\* Also available certified to:

PRODUCT SPECIFICATIONS	
Product Code	HR5S
Application	Technical Rescue
Certification	AS/NZS 1801:1997 Type 1 & 2 *ANSI Z89.1:2014 *EN 397:2012

\* Also available certified to:


L5PLUS.S



A107118



L.1



## LED TORCH ADARO L5 PLUS

L5 Plus torch is multifunctional flashlight that can be used both as a hand torch or helmet mounted.

- Two power settings: high & Auto
- White LED with a 4 hour (high) burn
- Light output 135lm
- Photoluminescent bezel increases visibility
- Durable and impact resistant thermoplastic resin torch body
- Intelligent energy management
- 4 x AAA Alkaline batteries (L.5PLUS.S) or a 3.7v Li-ion battery (L.5PLUS.R)
- Can be mounted on any Pacific helmet using the A107118 Helmet Clip (sold separately)
- Charger for L.5PLUS.R sold separately (CL5.1)
- Made in Spain

## LED TORCH ADARO L1 PENLIGHT

The L1 is a multi-purpose hand and helmet LED flashlight that includes a universal helmet adapter. The built-in neodymium magnet enables the L1 to attach the torch to any metallic surfaces.

- White LED with an 18 hour burn
- Light output 100lm
- Shock resistant rubber casing
- Integrated neodymium magnet
- Antistatic protection
- Chemical resistant
- Powered by 2 x AAA Alkaline Batteries
- Can be mounted on any helmet or hard hat using clip mount (included)
- Made in Spain

### PRODUCT SPECIFICATIONS

Product Code	L.5PLUS
Options	L.5PLUS.S - 4 x AA Batteries L.5PLUS.R - Rechargeable
Certification	ATEX Zone 0 Intrinsically Safe Ingress protection IP67

### PRODUCT SPECIFICATIONS

Product Code	L.1
Certification	ATEX Zone 0 Intrinsically Safe Ingress protection IP67



## ELED TORCH 3AA CPO UNDERWATER KINETICS

Smaller. Lighter. Brighter.  
The 3AA eLED from Underwater Kinetics is a flashlight with superior LED technology that is lightweight and affordable.

- eLED with a 8 hour burn
- Light output 110lm
- Beam distance 92m
- Depth rating 3.05m
- Compound Path Optics (CPO) technology improves visibility and efficiency - especially in poor visibility conditions
- Push button tail switch, switches light between ON/OFF with continuous or momentary action
- Powered by 3 x AA / LR6 Alkaline Batteries (included)
- Can be mounted on any Pacific helmet using the B2066114 Helmet Clip (sold separately)
- Made in the USA

## ELED TORCH 4AA RED HERCULITE UNDERWATER KINETICS

The Red Herculite is a flashlight with superior LED technology that is lightweight and affordable.

- eLED with a 8 hour burn
- Light output 180lm
- Depth rating 3.05m
- Push button tail switch
- All-weather use
- Chemical resistant
- Water resistant to 1m
- Powered by 4 x AA / LR6 Alkaline Batteries (included)
- Can be mounted on any Pacific helmet using the B2066114 Helmet Clip (sold separately)
- Made in the USA

### PRODUCT SPECIFICATIONS

Product Code	UKT10034+
Certification	Class 1, Division 1 Intrinsically Safe Ingress protection IP67

### PRODUCT SPECIFICATIONS

Product Code	UKT514609-7A+
Certification	Ingress protection IP67

UKT17018



## VIZION® ELED HEADLAMP 3AA UNDERWATER KINETICS

For superior hands-free illumination in every situation, count on the Vizion. The Vizion® Headlamp from Underwater Kinetics is waterproof for all-weather use and it's built tough to withstand the most challenging environments.

Vizion® incorporates Compound Path Optics (CPO) technology, which improves visibility and efficiency. It allows you to see further in poor visibility conditions like fog, smoke, rain, snow, and murky water.

- High and Low power settings
- eLED with 13 hrs (high) / 17 hrs (low) burn
- Light emission: 65 lm (high) / 35 lm (low)
- Beam distance: 60m (high) / 38m (low)
- Depth rating 10m
- All-weather use
- Large push button control switch works with heavy gloves
- Powered by 3 x AAA / Alkaline (included) or Lithium
- 3 Selectable beam patterns - Spot, Diffuse and Red Diffuse
- High Impact ABS, LEXAN®, polyurethane rubber, and stainless steel construction for durability

PRODUCT SPECIFICATIONS	
Product Code	UKT17018
Application	Wildland Firefighting Technical Rescue Industry Work
Certification	Ingress protection IP67

NEW

PF950++



PFTS950



## WILDLAND PROTECTIVE GOGGLES PAC FIRE

Pac Fire's budget helmet mounted goggles are heat resistant, durable and flexible. The foam bound, non-vented goggle body moulds to the face increasing comfort while preventing smoke and other airborne contaminants entering to impede vision.

- Economical primary eye protection
- Wide vision and low profile goggle
- Accommodates multiple facial sizes
- Excellent clarity with no optical distortion
- Non-vented to prevent egress of smoke or airborne particles that may impede vision
- Quick release strap clips for easy removal - even when wearing gloves
- 100% UVA / UVB protection for outdoor use
- FR frame, lens and straps
- Soft wrap-around TPV body for higher heat resistance
- Foam bound to aid in sealing
- Clear, polycarbonate, anti-static lens
- Goggle mount kit included

PRODUCT SPECIFICATIONS	
Product Code	PF950++: Pac Fire 2 Strap Goggles PFTS950: Replacement Straps for Pac Fire Goggles
Application	Wildland Firefighting Technical Rescue Industry Work
Certification	AS/NZS 1337.1:2010

**NEW** A104146



## SCOPE 190C EXTREME GOGGLES

Co-moulded with high temperature-resistant TPV material provides outstanding durability against heat, oil, grease and most acids.

- Low profile and extremely light design fits comfortable under helmets
- Wide vision design includes 2.2mm thick polycarbonate lens
- Unique indirect top/bottom ventilation system assists C-Max coated lens from fogging
- Quick Swap lens system allow fast and easy lens exchange
- 25mm wide elastic head strap for increased comfort
- Clear, C-Max coated lens
- Weight: 80gms
- Replacement lenses available



## PACIFIC EARMUFFS

Pacific's earmuffs have been designed to fit a range of Pacific Helmets using earmuff clips.

- Helmet Mounted Earmuffs
- Roomy earmuff fits most ear sizes, with thick cushions for extra comfort
- Suitable in areas with high noise levels
- SNR rating of 31dB (equivalent to class 5) and CE Marked to EN352-3
- Replacement Hygiene kits available

PRODUCT SPECIFICATIONS	
Product Code	A104146
Application	Wildland Firefighting Technical Rescue Industry Work
Certification	AS/NZS 1337.1:2010

PRODUCT SPECIFICATIONS	
Product Code	A104002
Application	Wildland Firefighting Technical Rescue Industry Work
Certification	CE Marked EN352-3



## TITAN REMOTE PUSH TO TALK

This simple and robust Push To Talk streamlines communications. The extra large push to talk button located on the front of the unit is easy to operate even with gloved hands. The nexus connector allows the user to add a multitude of audio accessories including the Titan helmet mounted boom mic or throat mic.

- Extra large front facing PTT button
- Clothing clip with 360° rotation (45° increment stops)
- Nexus connection
- Configurable to most radio types

## TITAN REMOTE HAND SPEAKER MICROPHONE

A comprehensive and versatile communications solution using a nexus connector to add a multitude of audio accessories - perfect for users who require helmet audio systems.

- Large front facing push to talk button
- Additional, side push to talk button
- Clothing clip with 360° rotation (45° increment stops)
- Volume control
- 3.5mm audio jack for earphone accessories
- Nexus connection

### PRODUCT SPECIFICATIONS

Product Code	PTT20
Application	Structural Firefighting Wildland Firefighting Technical Rescue
Certification	Ingress protection IP67

### PRODUCT SPECIFICATIONS

Product Code	MM20
Application	Structural Firefighting Wildland Firefighting Technical Rescue
Certification	Ingress protection IP67

## TITAN FIRECOM HELMET MOUNTED BOOM MIC

This comprehensive communication device can be directly connected to a speaker microphone or a PTT using the nexus connection.

It comes in a stereo, single and listen only version for your helmet and critical communication needs.

- Direct connection to a speaker microphone or PTT using a nexus connection
- Large 40mm speaker
- Noise reduction microphone
- Replaceable windshield



PRODUCT SPECIFICATIONS		
Product Code	HUC5	
Application	Structural Firefighting Wildland Firefighting Technical Rescue	
Certification	Microphone Ingress protection IP67	Speaker Ingress protection IP54



**NEW**



## SC-14 ALL-PURPOSE CLEANER

SC-14 is an all-purpose cleaner and degreasing agent that not only removes dirt, grease and grime - but also cleans away contaminants and carcinogens.

SC-14 has been formulated to remove dirt and contaminants without compromising the integrity of the item your cleaning.

- For routine cleaning of helmets, equipment and surfaces
- Easy to use, all purpose cleaning and degreasing solution
- Effective on grease, grime soil and hydrocarbons
- Cleans away potentially harmful contaminants and carcinogens
- Compact shape for easy transport or storage
- Environmentally friendly, biodegradable and non-corrosive formula
- Free from potentially damaging sodium hydroxide and sodium metasilicate
- Available in a convenient 946ML spray bottle
- Tested and supported by the industry leading helmet manufacturer - Pacific Helmets



**CLEANING & MAINTENANCE**



**PARTICULATE REMOVAL**



**SAFE CLEANING OF HELMETS & EQUIPMENT**

### PRODUCT SPECIFICATIONS

Product Code	SC-14F-032-6
Options	SC-14F-032-6 - All Purpose Cleaner - 946ML Spray Bottle (Box of 6 bottles)



# PROTECTIVE CLOTHING

## THERMALTECH



The Pac Fire ThermalTech ensemble consists of a structural fire jacket and trousers designed to meet AS/NZS 4967:2009.

ThermalTech's design focuses on combining the latest in comfort features with the premium protective fabrics. The result is ergonomically styled and durable garments that provide protection where it's needed most.



### PRODUCT SPECIFICATIONS

Application	Structural Firefighting
Sizes	Small - 3X Large Custom sizes are available
Certification	AS/NZS 4967:2009 AS/NZS 4602.2:2013

### JACKET FEATURES

- Detachable inner liner from outer shell for easy care & maintenance, as well as easy access for moisture barrier and thermal liner inspection
- Wide throat flap for complete seal
- Articulated elbow for added flexibility
- Overlocked seams for extra strength and durability
- A choice of long tabbed wristlet or thumbhole wristlet with moisture barrier to keep you dry
- Reinforced sleeve cuff with Arashield for longevity
- Radio pocket with PTT tab

- Torch hook and holder
- Two bellows pockets with water drain holes
- A choice of adding DRD to the back of the jacket
- A choice of barcode or RFID chip for asset management plus meeting safety & compliance requirements
- 3M Scotchlite® retro-reflective trim

### TROUSER FEATURES

- Detachable inner liner from outer shell for easy care & maintenance, as well as easy access for moisture barrier and thermal liner for inspection



- Trousers cuffs and knee pads reinforced with Arashield
- A choice of hooks & loops coupled with hook and D-ring, or zipper trousers closure
- Two full size bellows pockets with water drain holes
- Elastic suspenders with easy adjusters
- A choice of barcode or RFID chip for asset management plus meeting safety & compliance requirements
- 3M Scotchlite® retro-reflective trim

## FABRIC & MOISTURE BARRIER OPTIONS

Pac Fire's ThermalTech ensemble comes standard with a PBI® Gold Matrix outershell and StedAir 3000 moisture barrier.



PBI® Gold Matrix is a blend of 40% heat and flame resistance PBI® fiber and 60% high strength aramid fiber. This blend results in next level thermal protection and durability. It doesn't shrink, become brittle or break open under exposure to extreme heat and flame.

**PBI® MATRIX GOLD**

StedAir 3000 helps firefighters stay cooler and more comfortable while providing extra protection against water penetration, blood borne pathogens, toxic industrial chemicals, heat, and other harmful entities.

## FIRECRUSHER ADVANCE



Firecrusher Advance is a multi-layered structural firefighting ensemble that provides superior and economical protection against heat transfer via flame.

The Firecrusher is a 4 layer ensemble which includes an outershell, moisture barrier, thermal liner and comfort layer.



### PRODUCT SPECIFICATIONS

Application	Structural Firefighting
Sizes	Small - 3X Large Custom sizes are available
Certification	EN469:2008

### JACKET FEATURES

- Thermal throat tab with hook & loop closure that fits around SCBA facemask
- Fire retardant, water repellent, chemical resistant and anti-static outershell
- Reinforced elbow
- Large radio pocket with hook & loop flap and drainage holes
- Heavy duty zipper with hook & loop closure and storm flap
- Sleeve cuff reinforced with arashield to guard against premature wear and tear
- Sleeve cuffs feature knitted wristlet made from fire retardant aramid

- Two large side pockets with gussets, hook & loop closure and drain holes
- 3M Scotchlite® retro-reflective trim
- Comfort lining absorbs perspiration

### TROUSER FEATURES

- Fire retardant, water repellent, chemical resistant and anti-static outershell
- Fixed elastic braces, crossed at the back
- Elasticised waistband for better fit and comfort
- Heavy duty zipper with hook & loop closure and storm flap



- Two large bellow pockets with hook & look flap closure and drainage holes
- Action pleats built into the front of each leg
- Arashield on the knee to guard against premature wear
- Trousers cuff reinforced with arashield
- 3M Scotchlite® retro-reflective trim



NOMEX® IIIA NAVY



NOMEX® IIIA ORANGE

## FABRIC & MOISTURE BARRIER OPTIONS

Pac Fire's Firecrusher Advance ensemble comes standard with a Nomex® IIIA outershell (available in navy & orange) and PTFE laminated on aramid moisture barrier.

DuPont Nomex® IIIA is a blend of 93% Nomex® with 5% Kevlar® and 2% antistatic fiber, this innovative fabric helps minimize break-open, and expands to form a stable and inert barrier between fire and skin. This gives wearers the valuable seconds they need to escape from hazards.





## MERINO UNDERGARMENTS

Icebreaker acts and feels like a second skin. 100% merino Icebreaker garments are soft, machine washable, they resist odour, dry quickly, and are exceptionally breathable.

Icebreaker assists in regulating temperature in all climates and conditions.

- 100% Merino Wool
- 200gsm fabric weight
- Exceptional breathability
- Natural flame redundancy
- Does not melt, shrink or stick to the skin when exposed to high temperatures
- Provides resistance to acids
- Offers greater resistance to chemical residues and aerosols than synthetic garments
- Thermo-regulates the skin reducing the occurrence of overheating or chills
- Naturally antibacterial - reduces the incidence of skin infection
- Does not generate odour after prolonged use
- Soft yet durable
- Easy care, machine washable (with wool wash)
- Quick dry

### PRODUCT SPECIFICATIONS

Options	Long sleeved top Short sleeved top Full length pant Cropped, boxer cut pant
Application	Next to skin for: Structural Firefighting Wildland Firefighting General Purpose
Sizes	MENS: Small - 2X Large WOMENS: X Small - X Large

^ Please specify a size when ordering  
\* lead times apply



KL200  
MEDIUM FIT



## LIFE LINERS PARTICULATE BLOCKING FLASH HOOD

The Life Liners particulate blocking flash hood is designed to deliver both comfort and protection while blocking potentially harmful carcinogens from entering the body via absorption through the skin.

- Two piece design with 15cm front with 20cm back
- Separate head with sewn on back and front bib. Back of head ends at the nape of the neck for improved fit and comfort
- Easy-Seal Face opening that goes on easy and seals tight.
- 100% Nomex® thread
- Outer Layer Fabric: 49% Kermel / 49% Lenzing FR/ 2% Spandex  
Inner Layer Fabric: Stedair Prevent
- All head and bib seams are sewn with a flat lock stitch
- 3.8cm binding sewn to hem through folder with a three thread cover stitch to create a 1.25cm finished bound hem



PARTICULATE PROTECTION



THREE SIZES  
SMALL, MEDIUM  
& LARGE



DUAL LAYER CONSTRUCTION

### PRODUCT SPECIFICATIONS

Product Code	KL200
Colour Options	Blue & Tan
Application	Structural Firefighting
Sizes	Small, Medium & Large
Certification	NFPA 1971:2018

^ Please specify a size when ordering



## LIFE LINERS PBI® FLASH HOOD

The Life Liner PBI Flash Hood is constructed from a separate head piece and bib for a superior fit. The fabric is a unique combination of PBI® and Lenzing FR stitched together with 100% Nomex® thread.

- Separate head with sewn on back and front bib. Back of head ends at the nape of the neck for improved fit and comfort
- Easy-Seal Face opening that goes on easy and seals tight
- Dual layer construction
- Fabric: 20% PBI®/ 80% Lenzing FR
- All head and bib seams are sewn with a flat lock stitch
- 3.8cm binding sewn to hem through folder with a three thread cover stitch to create a 1.25cm finished bound hem
- Weight: 185gsm

## LIFE LINERS NOMEX® FLASH HOOD

Australian firefighters work in challenging conditions and need clothing that provides protection and comfort so they can focus on saving lives. Life Liners flash hoods are designed with the wearer in mind delivering the protection they need as well as the comfort they're searching for.

- Separate head with sewn on back and front bib. Back of head ends at the nape of the neck for improved fit and comfort
- Easy-Seal Face opening that goes on easy and seals tight
- Dual layer construction
- Fabric: 20% Nomex®/ 80% Lenzing FR
- All head and bib seams are sewn with a flat lock stitch
- 3.8cm binding sewn to hem through folder with a three thread cover stitch to create a 1.25cm finished bound hem
- Weight: 199gsm

PRODUCT SPECIFICATIONS	
Product Code	FHPFR9723ES
Application	Structural Firefighting
Sizes	One size fits most
Certification	NFPA 1971:2018

PRODUCT SPECIFICATIONS	
Product Code	FH33
Application	Structural Firefighting
Sizes	One size fits most
Certification	NFPA 1971:2018



## HOT SHIELD FACE MASK

The HS-2 Hot Shield Mask is a multi layer, face protection mask designed for Wildland Firefighters. Hot Shield protects the face and neck against burns while reducing inhalation of smoke and ash.

- Additional protection for face and neck area
- Multiple layers of CarbonX® maintain crucial airspace in front of the mouth and nose
- Scotchlite® Reflective trim
- Nomex® thread
- Weight: 112 grams
- Package includes 2 RDM3, disposable P2 respiration masks with plastic valve
- Machine Washable



**P2 MASK INCLUDED**



**MULTI LAYER CONSTRUCTION**



**RDM3  
CUP STYLE MASK**

### PRODUCT SPECIFICATIONS

Product Code	RHS-2+
Application	Wildland Firefighting
Sizes	One size fits most



## P2 DISPOSABLE FOLDING MASK - SINGLE VALVE

Pac Fire's folding P2 are designed for emergency service personnel who demand a high level of personal protection from airborne hazards experienced in the work environment.

- P2 Dust Mask for protection against dust and mist
- Plastic exhalation valve for greater ventilation
- Convenient and economical disposable mask
- Double strap mask with aluminium nose clip for firm and secure fit
- Activated charcoal layer to remove nuisance level odours
- Wide and soft non-latex straps are staple free to minimise irritation

PRODUCT SPECIFICATIONS	
Product Code	RDM30
Application	Wildland Firefighting General Purpose
Certification	AS/NZS 1716

## P2 DISPOSABLE FOLDING MASK - TWIN VALVE

The twin valve folding mask is used to protect against mechanically and thermally generated particulates.

- P2 Dust Mask for protection against dust, mist and wildland fire smoke
- Equip with two plastic exhalation valves
- Individually wrapped, vertically folding mask
- Double strap mask with aluminium nose clip for firm and secure fit
- Activated charcoal layer to remove nuisance level odours
- Wide and soft non-latex straps are staple free to minimise irritation

PRODUCT SPECIFICATIONS	
Product Code	RDM30TV
Application	Wildlad Firefighting General Purpose
Certification	AS/NZS 1716

## CITROSQUEEZE®

NFPA 1851 compliant CITROSQUEEZE® is the recommended technical detergent available for safely cleaning oil, soot, grease and other contaminants from all types of PPC and FR clothing.

- For routine cleaning of all PPC and FR clothing
- Easy to use, high performance cleaning solution
- Effective on dirt and grime
- Available in a 946ML spray bottle "pre-treatment" or a bulk 3.78L jug of technical detergent

PRODUCT SPECIFICATIONS	
Product Code	FS-C
Options	FS-C-032-6 - Pre-Treatment - 946ML Spray Bottle (Box of 6 bottles) FS-C-001-4 - Technical Textile Detergent - 3.78L Jug (Box of 4 jugs)
Certification	NFPA 1851



## RECOMMENDED ROUTINE CLEANING FOR STRUCTURAL & WILDLAND ENSEMBLES

- 1** Brush off debris
- 2** Pre-treat heavily soiled or spotted areas with CITROSQUEEZE® spray
- 3** Unless otherwise instructed, load machine to 80% of its rated capacity
- 4** Use mild wash settings, a mild detergent, and warm water temperatures
- 5** Following washing, Air dry by placing in designated drying bay
- 6** Inspect the garment
- 7** If necessary, clean again
- 8** *Ask yourself, is an advanced inspection necessary?*



**GLOVES**



## GLOVE FEATURES

- 1** FR coated Kevlar® knuckle protector
- 2** Reflective piping
- 3** Back of hand: Pyrohide® leather
- 4** Palm of hand: Pyrohide® leather with FR & Kevlar® thumb crotch patches

- Moisture barrier: Crosstech® providing protection against blood borne pathogens
- Lining: Kovenex® provides outstanding sharps protection in addition to it's heat blocking qualities

- 5** Cuff: Nomex®, Kevlar®, & elastane knitted cuff
- Maintains high level of user dexterity
- Available in a wide range of sizes: 2X Small - 3X Large as well as custom fits on request



HIGH LEVEL OF  
USER DEXTERITY



THREE LAYER  
ASSEMBLY

### PRODUCT SPECIFICATIONS

Product Code	SB02578A
Application	Structural Firefighting
Certification	AS/NZS 2161.6:2014 EN659: 2008
Size Range	2X Small - 4X Large

^ Please specify a size when ordering

# FIREMASTER® FUSION GLOVES



Firemaster® Fusion are 3 layer, structural firefighting gloves. The back and palm of the hand are constructed from unique Pyrohyde®, a world class, top-grain cowhide leather developed specifically for firefighters. Pathogen resistant Crosstech® forms the moisture barrier offering protection against liquid and bodily fluid ingress. Kovenex® lines the gloves for additional protection against heat and flame as well as a high level of sharps protection.



## FIREWALL 3 FIREFIGHTING GLOVES

The Firewall 3 glove provides optimum protection without diminishing comfort and dexterity. These gloves have been designed to work harmoniously with a range of structural ensembles.

- 3M reflective trim
- Back of hand/Palm of the hand: Cow grain leather
- Moisture barrier: Porelle - providing protection against moisture as well as a range of pathogens and chemicals
- Thermal Lining: Non-woven Kevlar® fabric
- Cuff: 100mm fire rated, elasticated



## FIREWALKER FIREFIGHTING & RESCUE GLOVES

The Firewalker from Protective Industrial Products provides sound wearer comfort and protection at a competitive price.

- 3M reflective trim
- Back of hand: 1.8mm leather
- Palm of hand: 1.8mm leather that extends down onto the cuff
- Thermal Lining: Wool (optional)
- Cuff: Wool
- Kevlar® stitching
- Wool lined and unlined options available



## FIRESTOP FIREFIGHTING & RESCUE GLOVES

Back to basics. Firestop gloves economically deliver comfort and protection for wildland firefighting and rescue applications.

- Back of hand: 1.8mm leather
- Palm of hand: 1.8mm leather that extends down onto the cuff
- Thermal Lining: Wool (optional)
- Cuff: Kevlar® knit
- Kevlar® stitching

PRODUCT SPECIFICATIONS	
Product Code	GFWN3
Application	Structural Firefighting
Size Range	X Small (6) - 2X Large (11)
Certification	AS/NZS 2161.6:2014

PRODUCT SPECIFICATIONS	
Product Code	GFWWCW - Wool Lined GFWWCU - Unlined
Application	Wildland Firefighting Technical Rescue
Size Range	2X Small (5) - 3X Large (12)
Certification	AS/NZS 2161.6:2003 TYPE 1

PRODUCT SPECIFICATIONS	
Product Code	GFSKCU - Unlined
Application	Wildland Firefighting Technical Rescue
Size Range	2X Small (5) - 3X Large (12)
Certification	AS/NZS 2161.6:2003 TYPE 1

^ Please specify a size when ordering \* Certification pending



**FOOTWEAR**



## HADES FEATURES

- 1** Upper: FR Hydrophobic cow hide leather (2.5 - 2.7mm)
  - Thermal Lining: GORE-TEX®
  - Insole: Moisture wicking and washable Ortholite® Air System ventilation footbed with memory foam midlayer, arch support and shock absorbing heel
- 2** Sole: Injected Dual Density Rubber heat resistant up to 300°C and SRC rated slip
  - Stainless steel midsole cut resistant strip 35mm above nip line
- 3** Protective steel toe cap resisting an impact of up to 200 joules
- 4** Quick release 200mm front zip
- 5** High visibility panels
  - Lightweight at just 1.07kgs



GORE-TEX®  
LINING



ANTI STATIC



WATER  
RESISTANT


PRODUCT SPECIFICATIONS	
Product Code	FWF2AR1354
Application	Structural Firefighting
Sizes	UK SIZING 3-15
Certification	AS/NZS 4821:2014

^ Please specify a size when ordering

## ROBUST & COMFORTABLE PROTECTION

"Hades" from YDS is a robust and comfortable fire and rescue boot.

Built to provide premium protection, the Hades boots are made from 2.5-2.7mm fire resistant cow hide leather. Hades are manufactured to include additional safety features such as steel toe caps, a steel midsole with cut resistant strip, shock absorbing dual density shock absorbing rubber soles and more.





## SKELLERUP FIREFIGHTER EXTREME

Type 3 structural fire fighting boots are designed to provide firefighters with the very highest level of available protection.

The Skellerup Firefighter Extreme takes this protection even further with additional levels of chemical resistance to ASTM F739 and linings woven from a combination of Nomex® and Kevlar® for ultimate comfort and protection.

- Inner lining: woven Nomex® / Kevlar®
- Slip resistant SRC commando outsole with ladder grips
- Penetration resistant composite midsole
- Comfort form steel toe cap
- Cut out pull handles
- Cushioned shin guard
- Multi-fit footbed system
- Resistant to fuel oil, mild acids, mild alkalis and hazardous materials
- Insulating against electrical shocks



**ELECTRIC SHOCK  
INSULATION**



**CHEMICAL  
RESISTANT**

PRODUCT SPECIFICATIONS	
Product Code	FWFSF8
Application	Structural Firefighting
Sizes	UK SIZING 3-15
Certification	AS/NZS 4821:2014 AS/NZS 2210.3 EN 15090 EN ISO 20345

*^ Please specify a size when ordering*



## POSEIDON STRUCTURAL

YDS Poseidon firefighting boots are manufactured from premium heinen full grain leather with a GORE-TEX® waterproof, breathable lining. The dual density rubber injected sole provides slip resistance as well as premium shock absorption.

- Upper: Full grain cow hide (2.5-2.7mm)
- Inner lining: GORE-TEX® membrane
- Lightweight injected flame retardant dual density rubber sole unit
- Cut resistant strip around the top of the sole
- Stainless steel midsole
- Protective steel toe cap resisting an impact of up to 200 joules



## APOLLO WILDLAND

Apollo is a strong and durable boot made specifically for wildland firefighting and rescue work. The combination of fire grade cow hide and Tencate® provides the wearer a high level of protection while the air injected midsole delivers cushion comfort.

- Upper: Full grain cow hide (2.5-2.7mm) combined with Tencate® flame retardant textile
- Inner Lining: Abrasion resistant, moisture wicking textile
- Lightweight injected flame retardant dual density rubber sole unit
- Tex® nail-proof midsole
- Protective aluminium toe cap resisting an impact of up to 200 joules

PRODUCT SPECIFICATIONS	
Product Code	FWFF300GTIN
Application	Structural Firefighting
Sizes	UK SIZING 3-15
Certification	AS/NZS 4821:2006

PRODUCT SPECIFICATIONS	
Product Code	FWF2AR1352
Application	Wildland Firefighting Technical Rescue
Sizes	UK SIZING 3-15
Certification	AS/NZS 4821:2006

^ Please specify a size when ordering



## RECOMMENDED ROUTINE CLEANING FOR STRUCTURAL & WILDLAND FOOTWEAR

- 1** Pre-treat heavily soiled or spotted areas of each boot with CITROSQUEEZE® spray
- 2** Fill an assigned tub with a mixture of water <math><40^{\circ}</math> C and CITROSQUEEZE®
- 3** Momentarily place them in the tub then remove
- 4** Lightly scrub with a soft bristle brush
- 5** Rinse with warm water <math><40^{\circ}</math> C
- 6** Remove any excess moisture with a paper towel
- 7** *Ask yourself, is an advanced inspection necessary?*
- 8** *Air dry by placing in designated drying bay*



# LIGHTING & TORCHES

L5000

NEW



Hand Lamp & Charger Base sold separately

## LED TORCH L5000 POWER ADARO

The L5000 is a tough, rechargeable hand lamp from Adalit. Constructed from thermoplastic resins, this durable torch is resistant to impacts, extreme temperatures and corrosive substances.

The swivel head has 5 independent locking positions delivering the bright light from the high intensity LEDs, right where you need it.

- Thermoplastic resin with high resistance to impacts, extreme temperatures and corrosive substances.
- 7 LEDs (1 x 3W high power-spot beam and strobe function / 2 x floodlight / 2 x signalling-blue or amber light / 2 x tail beacon-red light).
- Two oversized, soft touch buttons
- Runtime display
- Low, medium and high power settings
- Burn time: 3hr high, 6hr medium, 12hr low
- Carry lamp hands free with convenient shoulder strap
- Powered by a rechargeable Li-Ion battery (3.7v / 8800 mAh)
- Hand lamp and charger sold separately



SWIVEL HEAD



VISIBLE FOR OVER 800M

### PRODUCT SPECIFICATIONS

Product Code	L.5000 Hand Lamp	LCF5.1 Single Charger Unit
Certification	Ingress protection IP66	Ingress protection IP54

^ Multi charger units available



## LED TORCH L3000 POWER ADARO

Adalit's L3000 Power is a rechargeable professional torch that supplies bright, white LED light directly where you need it. This lightweight and versatile torch can be carried comfortably in the hand and also in large pockets.

- Three power settings: high, medium & low
- 3 white LED's with 4 hour (high), 6 hour (medium) and 8 hour (low) burn time
- Light output 300lm with a brightness of 15,000 candela
- Thermoplastic resin torch body resists impacts of up to 2m
- Easy to operate, oversized, soft touch power buttons
- Antistatic protection
- Chemical resistant
- Powered by a rechargeable 3.7v Li-Ion battery
- Versatile swivel head with 3 locking points
- Runtime display
- Booster function to illuminate long distances with a greater penetrating light beam.
- Lightweight at just 500g including the battery



SWIVEL HEAD



POWERED BY  
HIGH INTENSITY  
LEDS



ANTI STATIC



CHEMICAL  
RESISTANT

### PRODUCT SPECIFICATIONS

Product Code	L.3000P Hand Lamp	C.1000 Single Charger Unit
Certification	Ingress protection IP67	Ingress protection IP54

^ Multi charger units available



## LED TORCH L5 PLUS ADARO

L5 Plus torch is a multifunctional flashlight that can be used both as a hand torch and on a firefighter helmet.

- Two power settings: high & low
- White LED with a 4 hour (high) / 30 hour (very low) burn
- Light output 135lm
- Photoluminescent bezel increases visibility
- Durable and impact resistant thermoplastic resin torch body
- Intelligent energy management
- 4 x AAA Alkaline batteries (L.5PLUS.S) or a 3.7v Li-ion battery (L.5PLUS.R)
- Can be mounted on Pacific Helmets using the A107118 Helmet Clip (sold separately)
- Charger for L.5PLUS.R sold separately (CL5.1)

PRODUCT SPECIFICATIONS	
Product Code	L.5PLUS
Options	L.5PLUS.S - 4 x AAA Batteries L.5PLUS.R - Rechargeable
Certification	ATEX Zone Intrinsically Safe Ingress protection IP67

^ Multi charger units available

## LED TORCH L1 PENLIGHT ADARO

The L1 is a multi-purpose hand and helmet LED flashlight that includes a universal helmet adapter. The built-in neodymium magnet enables the L1 to attach the torch to any metallic surfaces.

- White LED with an 18 hour burn
- Light output 100lm
- Shock resistant rubber casing
- Integrated neodymium magnet
- Antistatic protection
- Chemical resistant
- Powered by 2 x AAA Alkaline Batteries
- Can be mounted on any helmet or hard hat using clip mount (included)

PRODUCT SPECIFICATIONS	
Product Code	L.1
Certification	ATEX Zone Intrinsically Safe Ingress protection IP67



## ELED TORCH 3AA CPO UNDERWATER KINETICS

Smaller. Lighter. Brighter.  
The 3AA eLED from Underwater Kinetics is a flashlight with superior LED technology that is lightweight and affordable.

- eLED with a 8 hour burn
- Light output 110lm
- Beam distance 92m
- Depth rating 3.05m
- Compound Path Optics (CPO) technology improves visibility and efficiency - especially in poor visibility conditions
- Push button tail switch, switches light between ON/OFF with continuous or momentary action
- Powered by 3 x AA / LR6 Alkaline Batteries (included)
- Can be mounted on Pacific Helmets using the B2066114 Helmet Clip (sold separately)
- Made in the USA

PRODUCT SPECIFICATIONS	
Product Code	UKT10034+
Certification	Class 1, Division 1 Intrinsically Safe Ingress protection IP67



## ELED TORCH 4AA RED HERCULITE UNDERWATER KINETICS

Underwater Kinetics is proud to have over 40 years of history manufacturing the Red Herculite.

The Red Herculite is a flashlight with superior LED technology that is lightweight and affordable.

- eLED with a 8 hour burn
- Light output 180lm
- Depth rating 3.05m
- Push button tail switch
- All-weather use
- Chemical resistant
- Water resistant to 1m
- Powered by 4 x AA / LR6 Alkaline Batteries (included)
- Can be mounted on Pacific Helmets using the B2066114 Helmet Clip (sold separately)
- Made in the USA

PRODUCT SPECIFICATIONS	
Product Code	UKT514609-7A
Certification	Ingress protection IP67



## VIZION® ELED HEADLAMP 3AA UNDERWATER KINETICS

The Vizion® Headlamp from Underwater Kinetics is waterproof for all-weather use and it's built tough to withstand the most challenging environments.

- High and Low power settings
- eLED with 13hrs (high)/7 hrs (low) burn
- Light emission: 65lm (high)/35lm (low)
- Beam distance: 60m (high)/38m (low)
- Depth rating 10m
- Compound Path Optics (CPO) technology improves visibility and efficiency - especially in poor visibility conditions
- All-weather use
- Large push button control switch works with heavy gloves
- Powered by 3 x AAA / Alkaline (included) or Lithium
- 3 Selectable beam patterns - Spot, Diffuse and Red Diffuse
- Made in the USA

PRODUCT SPECIFICATIONS	
Product Code	UKT17018
Certification	Ingress protection IP67



## ELED GATORLITE

The high intensity Gatorlite® flashlight features the latest innovations in 3C hand light design for reliable performance.

- eLED with a 32 hour burn
- Light output 125lm
- Beam distance 50m
- Compound Path Optics (CPO) technology improves visibility and efficiency - especially in poor visibility conditions
- Large push button switch works with heavy gloves
- Powered by 3 x C / Alkaline Batteries
- All-weather use
- Beam produces a bright spot with almost no peripheral light so nearby personnel are not affected
- Ergonomic belt clip allows for more comfortable and secure grip
- High Impact ABS, LEXAN®, polyurethane rubber, and stainless steel construction for durability
- Made in the USA

### PRODUCT SPECIFICATIONS

Product Code	UKT22101
Certification	Class 1, Division 1 Intrinsically Safe Ingress protection IP67



**NEW**

## LIGHTHOUSE TORCH

The Lighthouse torch is a multi-functional personal lighting device. It can be hand-held like a traditional flashlight, worn on a safety vest as well as wildland or structural firefighting clothing, magnetically mounted on a metal work area, or stood up on any flat surface.

- eLED with a 8.5 hour burn
- Light output 130lm
- Pivoting head - for use as a hand held flashlight
- Neodymium magnet - mounts to any steel surface for use as a work light
- Powered by 4 x AA / LR6 Alkaline Batteries
- Made in the USA

### PRODUCT SPECIFICATIONS

Product Code	UKT514703
Certification	Class 1, Division 1 Intrinsically Safe Ingress protection IP67



# BEACONS



## 290 SERIES FEATURES

- 1** Patented fresnel lens to maximise beam visibility
- 2** High luminosity, solid state LEDs, rated for 100,000 hour + operating life
- 3** Clear, shatterproof polycarbonate lens
- 4** Fail-safe positive activation microswitch to prevent accidentally turning the beacon off
- 5** Colour coded, beacon light pins
- 6** High visibility, durable, impact resistant ABS plastic beacon body
- 7** Hard wearing ABS plastic clips
  - Powered by 4 x AA batteries
  - Precision o-rings making the beacon waterproof, dustproof and safe to operate in hazardous areas
  - Flash rate 165-185fpm
  - Single (steady on and flash) or dual (dual flash only) coloured LED
  - 200mm tall

### PRODUCT SPECIFICATIONS

<b>Product Code</b>	EFAT290 - Single Light (steady on & flash) EFAT293 - Dual Light (dual flash only)
<b>Options</b>	EFAT290 A - Amber EFAT290 G - Green EFAT290 R - Red EFAT290 B - Blue  EFAT293 BW - Blue / White EFAT293 RA - Red / Amber EFAT293 RW - Red / White EFAT293 RB* - Red / Blue
<b>Certification</b>	IECEX & ATEX Ex ic T4 Gc Intrinsically Safe Ingress protection IP66



**INTRINSICALLY  
SAFE  
IP66**



**POWERED BY  
SOLID STATE  
LEDS**



**VISIBLE FOR  
OVER 1KM**

*^ Please specify options when ordering  
\* Available for Emergency Services purchases only*

# SAFETY IN A FLASH

Eflare Beacons are lightweight, compact and easy to deploy. They provide a fast solution to creating a highly visible warning or safety zone.

The beacons boast an incredibly long service life thanks to high quality manufacturing materials such as shock resistant ABS plastics and shatterproof polycarbonate.

Eflare provides a safe, reusable and cost effective alternative to pyrotechnic or chemical flares. They are visible for a distance of more than 1 kilometre without night vision, point fixation or distance judgement problems associated with strobe or incandescent lighting.





## 280 SERIES COMPACT EFLARE

Eflares tried and trusted safety beacon in a compact size. Standing just 15cm tall this tough little beacon still supplies the user with 20+ hours of operating life per battery change.

- High luminosity, solid state LEDs
- Flash rate 165-185fpm
- Single (steady on or flash) or dual (flash only) coloured LED
- Clear, shatterproof polycarbonate lens
- High visibility, durable, impact resistant ABS plastic beacon body and side clip
- Precision o-rings making the beacon waterproof, dustproof and safe to operate in hazardous areas
- Powered by 4 x AA batteries
- 150mm tall

## 700 SERIES EFLARE

All the features of the 290 series Eflares - powered by 2, D Cell batteries increasing operating life to 40+ hours. The handy battery charge indicator lets you keep track of cell life quickly and easily.

- High luminosity, solid state LEDs
- Flash rate 165-185fpm
- Single (steady on or flash) or dual (flash only) coloured LED
- Clear, shatterproof polycarbonate lens
- ABS plastic beacon body and side clips
- IP66 and Intrinsically Safe
- Powered by 2 x D Cell batteries
- 200mm tall
- Battery charge indicator

PRODUCT SPECIFICATIONS		
Product Code	EFAT280 - Single light (steady on or flash)	EFAT283 - Dual Light (flash only)
Options	EFAT280A - Amber EFAT280B - Blue EFAT280R - Red EFAT280W - White	EFAT283AW - Amber / White EFAT283RB* - Red / Blue EFAT283RW - Red / White
Certification	Ingress protection IP66	IECEX & ATEX Ex ic T4 Gc Intrinsically Safe

PRODUCT SPECIFICATIONS		
Product Code	EFAT700 - Single Light (steady on or flash)	EFAT730 - Dual Light (flash only)
Options	EFAT700A - Amber EFAT700B - Blue EFAT700G - Green EFAT700R - Red EFAT700W - White	EFAT730RB* - Red / Blue
Certification	Ingress protection IP66	IECEX & ATEX Ex ic T4 Gc Intrinsically Safe

^ Please specify options when ordering  
\* Available for Emergency Services purchases only

## EFLARE PACKS

Everything you need to set up a highly visible warning or safety zone in one convenient pack.

Each pack includes

- 4** 730 Series Eflare Beacons
- 4** Eflare Base Mounts (EFBASE)
- 4** Eflare Cone Clips (EF500CM)
- 1** Large Eflare Bag (EFMBAG)

### PRODUCT SPECIFICATIONS

<b>Product Code</b>	EFEMS++
<b>Options</b>	EFEMS++ RA - Dual Flash Red / Amber EFEMS++ RB* - Dual Flash Red / Blue EFEMS++ RW - Dual Flash Red / White
<b>Certification</b>	Intrinsically Safe Ingress protection IP66

*^ Please specify options when ordering*

*\* Available for Emergency Services purchases only*





Eflare and base sold separately

## EFLARE RUBBER BASE

General purpose, rubberised base for all Eflare models.

### PRODUCT SPECIFICATIONS

Product Code EFBASE

## EFLARE AVIATION BASE

A secure, special purpose rubber mount for all models of Eflare.

### PRODUCT SPECIFICATIONS

Product Code EFBASEAV

## EFLARE MAGNETIC BASE

Magnetic base for all models of Eflare.

- Rated to 80kmh when securely mounted on vehicles

### PRODUCT SPECIFICATIONS

Product Code EFMAGBASE



## EFLARE CONE CLIP

Conveniently hang your Eflare beacon from most traffic cones

### PRODUCT SPECIFICATIONS

Product Code EF500CM



*\*Not suitable for moving vehicles*

## EFLARE MAGNETIC CLIP

A magnetic clip suitable for attaching any Eflare beacon to a metal surface.

### PRODUCT SPECIFICATIONS

Product Code EFMAGCLIP



*\*Not suitable for moving vehicles*

## EFLARE SUCTION CLIP

Attach your Eflare Beacon to a smooth surface

### PRODUCT SPECIFICATIONS

Product Code EFSCLIP



*Suitable for the 280, 290, 700 & 730 beacons*

## EFLARE HOOD

Attaches to the top of an Eflare beacon to limit the spread of the light beam.

### PRODUCT SPECIFICATIONS

Product Code EFHOOD2



## EFLARE SMALL BAG

Conveniently carry 2-3 Eflare beacons plus accessories

### PRODUCT SPECIFICATIONS

Product Code EFSBAG



## EFLARE LARGE BAG

Stow and carry 4-6 Eflare Beacons plus accessories

### PRODUCT SPECIFICATIONS

Product Code EFMBAG



# FANS & VENTILATION



## SUPERCHARGE YOUR RESPONSE TIME



DUAL POWER



LIGHTWEIGHT  
& PORTABLE

Blowhard Fans have single handedly revolutionised the way ventilation in emergency situations is approached.

Blowhard's BH-20 PPV fan has been designed for high pressure to effectively drive ventilation. The high velocity jet stream produced by the BH-20 assists in building pressure to effectively clear smoke from the structure.

Boasting unique design and construction, the BH-20 is lighter, smaller, incredibly durable and more powerful than other fans on the market today.

The soft start motor can be powered with both a mains outlet or Blowhard's long lasting, Li-Ion battery pack. This feature allows the fan to be set up faster and started instantly - in some instances cutting down response time by up to 6 minutes.



## FAN FEATURES

- Dual powered operates on battery and mains power
- Soft start, variable speed motor
- Maximum Amps 7amps at 110V / 3.5amps at 220V
- Recover 80% charge in 1 hour / full charge in 3 hours (no memory)
- Runtime: 35 minutes at 10,500CFM or 60 minutes at 9,000CFM
- Includes shoulder strap for easy deployment and repositioning
- Easy to operate controls
- Produces high velocity jet stream

- Starts instantly on battery power
- Doubles as PPV fan
- Weighs only 27kgs

## PRODUCT SPECIFICATIONS

Product Code	PPVBH-20DP
Application	Structural Firefighting
Certification	Ingress Protection: IP66



# HOSE & FITTINGS

PACMONOFLEX OR 25/60

PACHSSSHV25/30



HAND PROTECTOR

ANT-KINK PROTECTOR



BAND-IT CLAMPING  
(MBANDING)

ICONOS CLAMPING

## MONOFLEX S HD FIRE HOSE

Pac Fire's Monoflex hose is a lightweight and flexible type S fire hose. The inside of the hose is made from high-quality, very light synthetic rubber. While the jacket is constructed from 100% high tenacity synthetic polyester yarn and special monofilament yarns in the weft provide dimensional stability.

- Resistant to aging and ozone and UV
- Excellent abrasion resistance
- Temperature range from - 40°C up to +100°C
- Minimum friction loss due to very smooth inner lining

INSIDE DIAMETER (in mm)	WEIGHT (in g)	WORKING PRESSURE in bar   in PSI	BURSTING PRESSURE in bar   in PSI
25	281	40   580	100   1,450

## SYNTEX SIGNAL PERCOLATING HOSE

The Syntex Signal percolating hose is a Pac Fire favourite. It's constructed from 100% high tenacity polyester yarn in a circular twill weave with warp threads multiple twisted. The inside is high-quality, very light synthetic rubber.

- Fluorescent yellow colour highly visible in darkness and smoke
- Suitable for seawater, hot water and steam
- Ageing and ozone resistant
- Temperature range from -40°C up to +100°C
- Water weeps through the jacket to prevent hose from catching fire whilst being manoeuvred around the fire ground
- Standard hose diameters 25 & 38mm. Other options available on request - lead times will apply

INSIDE DIAMETER (in mm)	WEIGHT (in g)	WORKING PRESSURE in bar   in PSI	BURSTING PRESSURE in bar   in PSI
25	130	16   235	60   870
38	225	16   235	60   870

PRODUCT SPECIFICATIONS	
Product Code	PACMONOFLEX OR 25/60 Monoflex Orange 25mm x 60m
Options	PAC FIRE RECOMMENDS: 25mm Storz Couplings
Certification	DIN EN 1947:-11-B-5

PRODUCT SPECIFICATIONS		
Product Code	PACHSSSHV25/30 Percolating 25mm x 30m	PACHSSSHV38/30 Percolating 38mm x 30m
Options	Band-It Clamping, Iconos Clamping or Swaged Select couplings from page 67	
Certification	DIN 14811 : 2008 class 1	AS 2792 - 1992 H Class Germanischer Lloyd

^ Please specify clamping and couplings when ordering

PACHSU25/60

PACHS5E38/30



**BAND-IT CLAMPING**  
(MBANDING)

**ICONOS CLAMPING**

**BAND-IT CLAMPING**  
(MBANDING)

**ICONOS CLAMPING**

## SYNTEX UNIDUR

Syntex Unidur is 100% high tenacity polyester yarn embedded in a high-quality, special synthetic rubber, extruded through the polyester weave.

- Durable and abrasion resistant
- Resistance to oil, petrol and a wide range of chemicals
- Temperature range from -40°C up to +100°C
- Low elongation and very low friction loss
- Suitable for seawater, hot water and steam

INSIDE DIAMETER (in mm)	WEIGHT (in g)	WORKING PRESSURE in bar   in PSI	BURSTING PRESSURE in bar   in PSI
25	215	20   290	70   1,015
38	300	20   290	60   870
52	385	20   290	60   870
65	500	20   290	60   870

### PRODUCT SPECIFICATIONS

Product Code	PACHSU25/30 Unidur 25mm x 30m	PACHSU52/30 Unidur 52mm x 30m
	PACHSU38/30 Unidur 38mm x 30m	PACHSU65/30 Unidur 65mm x 30m
Options	Band-It Clamping, Iconos Clamping, Swaging or wire binding. Select couplings from page 67	
Certification	DIN 14811 : 2008 class 1 BS 6391 Type 3 prEN 1924 class 4 M.E.D. 96/98/EC	AS 2792 - 1992 H Class Lloyd's Register of Shipping Germanischer Lloyd

## SYNTEX 500-EXTRA

The 500-E is a lightweight and flexible hose with unique jacket construction which results in premium abrasion resistance.

- Constructed from 100 % high tenacity polyester yarn, circular twill weave with warp threads multiple twisted in special construction. With high-quality, very light synthetic rubber
- Weather, aging and ozone resistant
- Temperature range from - 40°C up to +100°C
- Minimum friction loss due to very smooth inner lining
- Suitable for seawater, hot water and steam

INSIDE DIAMETER (in mm)	WEIGHT (in g)	WORKING PRESSURE in bar   in PSI	BURSTING PRESSURE in bar   in PSI
25	135	20   290	65   945
38	210	20   290	65   945
53	285	20   290	65   945
65	370	20   290	65   945

### PRODUCT SPECIFICATIONS

Product Code	PACHS5E25/30 500-E 25mm x 30m	PACHSU65/30 500-E 65mm x 30m
	PACHS5E38/30 500-E 38mm x 30m	
Options	Band-It Clamping, Iconos Clamping, Swaging or wire binding. Select couplings from page 67	
Certification	DIN 14811 : 2008 class 1/2 BS 6391 Type 1 M.E.D. 96/98/EC	AS 2792 - 1992 H Class Germanischer Lloyd

^ Please specify clamping and couplings when ordering

IPCSR65  
FOR 65MM  
HOSE



IPCSR25  
FOR 25MM  
HOSE



## ICONOS HOSE CLAMPS

Iconos clamping is one of the coupling fitting options Pac Fire offers on their range of hoses. Iconos clamped hoses are field repairable and certified to a test pressure of 24 bar.

- Available for 25, 38, 52 & 65mm diameter hoses
- Constructed from forged aluminium
- Clamp is two pieces and includes nuts and bolts



### PRODUCT SPECIFICATIONS

Product Code	IPCSR
Options	IPCSR25 - 25mm diameter IPCSR38 - 38mm diameter IPCSR52 - 52mm diameter IPCSR65 - 65mm diameter

POK8179  
65MM HOSE  
COUPLING



## STORZ COUPLINGS WITH HOSE TAIL

Pac Fire's range of hose couplings are suitable for Iconos clamping or Band-It clamping securing options. Each coupling is manufactured with a double-ribbed hose shank.

- Pressure tested to 50 Bar
- Available for 25, 38, 52 & 65mm diameter hoses
- Compatible with Iconos Hose Clamps
- Suitable for Band-It clamping or wire binding

POK8179  
UNDERSIDE VIEW  
65MM HOSE  
COUPLING



### PRODUCT SPECIFICATIONS

Product Code	POK05010 - 25mm IPST038 - 38mm IPST052 - 52mm POK8179 - 65mm
--------------	---

POK6355  
FEMALE BIC  
COUPLING TO 38MM  
HOSE TAIL



POK6356  
MALE BIC  
COUPLING TO  
38MM HOSE  
TAIL



## BRITISH INSTANTANEOUS COUPLING WITH HOSE TAIL

Instantaneous coupling systems are used for a variety of water delivery applications, to connect hoses together and to other pipework and fittings.

- Made from aluminium alloy
- Available for various hose diameters
- Double ribbed hose tails
- Suitable for Band-It clamping, wire binding
- Working pressure 16 bar

### PRODUCT SPECIFICATIONS

Product Code	POK6355+ - BIC Male & Female Set to 38mm Hose Tail POK25399+ - BIC Male & Female Set to 65mm Hose Tail
Options	POK6355 - BIC Female Coupling to 38mm Hose Tail POK6356 - BIC Male Coupling to 38mm Hose Tail POK25399 - BIC Female Coupling to 65mm Hose Tail POK25408 - BIC Male Coupling to 65mm Hose Tail

^ Please specify options when ordering



**TURBOKADOR 500 HOSE LINE NOZZLE**

**PRODUCT SPECIFICATIONS**

Product Code	POK09718
--------------	----------



**WATERWALL NOZZLE**

**PRODUCT SPECIFICATIONS**

Product Code	POK26076
--------------	----------



**LOW EXPANSION FOAM BRANCHPIPE**

**PRODUCT SPECIFICATIONS**

Product Code	POK09049
--------------	----------



**LOW EXPANSION SELF EDUCING FOAM BRANCHPIPE**

**PRODUCT SPECIFICATIONS**

Product Code	POK16005 NEN
--------------	--------------

**WYE DIVIDING BREACH**



**PRODUCT SPECIFICATIONS**

Product Code	POK28712
--------------	----------



**PORTABLE POCKET MONITOR**

**PRODUCT SPECIFICATIONS**

Product Code	POK12697
--------------	----------

A COMPREHENSIVE RANGE OF POK HOSE FITTINGS ARE AVAILABLE FROM PAC FIRE.



# CHEMICAL & PROTECTIVE SUITS

## KAPPLER ZYTRON 500

For more than four decades Kappler has led the industry with patented technology and proven garment designs.

The Zytron 500 range offers top level protection for demanding hazmat response. Zytron 500 material provides greater than 8 hour holdout against hundreds of chemicals with proven resistance against chemical warfare agents (CWA).

- Zytron 500 is a soft, pliable fabric that remains comfortable for extended use
- Greater than 8-hour holdout against hundreds of chemicals
- Proven holdout against Chemical Warfare Agents (CWA)
- Many features and options in a wide variety of encapsulating suits and coverall styles.
- Available in hi-viz orange and charcoal grey.
- Applications: Hazmat response, chemical handling, refuelling operations, petrochemical operations, hazardous material clean-up and remediation, CWA incineration, remediation and disposal.



SPLASH TWO PIECE ENSEMBLE



SPLASH TOTAL ENCAPSULATING



VAPOUR TOTAL ENCAPSULATING




### PRODUCT SPECIFICATIONS

Product Code	CZ5H580 OR
Styles	Two Piece Ensemble Splash Total Encapsulating Suit Vapour Total Encapsulating Suit
Options	Heat sealed / taped or ultrasonic seams Front or rear entry for total encapsulating suits
Certification	ASTM F 739 MIL-STD-282 NFPA 1994-2001

*^ Please discuss requirements when ordering*



Kappler's HazMatch<sup>®</sup> selection guide lets you search by chemical or by fabric and easily match a garment that's safe for your scenario. Use it online or get the free app for a quick, accurate recommendation. Got a suit but not sure if it's right for the hazard? Just scan the ChemScan<sup>®</sup> QR code label for the latest test results for that specific fabric.



COVERALLS



SPLASH TWO  
PIECE ENSEMBLE



SPLASH TOTAL  
ENCAPSULATING



## KAPPLER CHEMTAPE

Kappler ChemTape is a specially designed and tested adhesive tape for added barrier protection against hazardous chemicals at the seams, zippers and other openings found on chemical protective clothing.

- Chemical-tested sealing tape
- Provides strong, durable barrier protection
- Used to attach components of a protective ensemble or to reduce the possibility of gross liquid flow at interfaces
- An ideal solution when mid to high range chemical protection is needed
- Attaches protective clothing components—sleeve-to-glove, ankle-to-boot, hood-to-face piece, storm flap—suitable for pipe sealing, shelter or tent repair, and “safe room” sealing
- Applies quickly
- 48mm wide x 50 metres long

### PRODUCT SPECIFICATIONS

Product Code CS99402YE

## ZYTRON 400

Zytron 400 is a durable fabric with great physical properties and broad chemical holdout - an economical alternative to Zytron 500.

- ASTM F1001 chemical holdout performance similar to Zytron 500
- Tough fabric with excellent physical properties for demanding work applications
- Attached gloves are an available custom option
- Styles include a variety of coveralls plus total encapsulating suits and hood/jacket/trouser combos.
- Applications: Chemical handling, petrochemical operations, hazmat response and clean-up

### PRODUCT SPECIFICATIONS

Product Code	CZ4H426
Styles	Coveralls Two Piece Ensemble Splash Total Encapsulating Suit
Options	Heat sealed / taped or ultrasonic seams Front or rear entry for total encapsulating suits
Certification	ASTM F1001

## ADDITIONAL FABRIC & STYLE OPTIONS ARE AVAILABLE

**KAPPLER FABRICS:** Zytron 100, Zytron 100XP, Zytron 200, Zytron 300, Zytron 500, Frontline 300, Frontline 500  
**KAPPLER STYLES:** Lab Coats / Aprons, Shorts, Coveralls, Two piece ensemble, three piece ensemble, total encapsulating  
**KAPPLER CUSTOM:** If you need something not shown in our standard styles, ask about Kappler's custom solutions

^ Please discuss requirements when ordering




## FRONTLINE 500

NFPA-certified multi-use, single-exposure garment provides economical alternative to expensive FR reusables.

Frontline 500 is a single suit that provides three-way protection against chemical, flash-fire and radiant heat.

- Expanded view anti-fog visor system - standard on all gas (vapour) tight suits
- Removable knitted Kevlar® overglove, plus field-replaceable 2N1® Glove System which eliminates inner glove inversion
- Highly flexible 120cm gas tight AquaSeal® zipper facilitates easier donning and doffing
- Provides excellent "survivability" performance - 0% body burn in Pyroman Thermal Manikin testing
- Single garment eliminates need for two-suit NFPA 1991 configuration.
- Front and rear entry options available
- Applications: Hazmat response and chemical handling with potential for chemical flash-fire.



VAPOUR TOTAL ENCAPSULATING

### PRODUCT SPECIFICATIONS

Product Code	CF5H580 91
Styles	Vapour Total Encapsulating Suit
Options	Heat sealed / taped or ultrasonic seams Front or rear entry
Certification	NFPA 1991

^ Please discuss requirements when ordering



# BAGS & STORAGE OPTIONS



## BAG FEATURES

- 1** Heavy duty rip stop water resistant nylon outer fabric
- 2** Webbing carry handles
- 3** Two heavy duty roller blade rear wheels
- 4** Removable padded shoulder strap
- 5** Wide mouth top opening - zip length 60cm
- 6** Reinforced solid base with runners
- 7** One external end pocket with zip closure
- 8** Front mounted grab/pull handle
- Two separate waterproof internal compartments
- External access to concealed boot compartment
- Ventilation holes
- All metal components

- Easy cleaning both inside and out
- Colours Available: Blue / Red
- Printing available at an additional cost
- Dimensions: (L) 70cm x (W) 40cm x (H) 50cm
- 120mm x 150mm clear window for names



RED NYLON



BLUE NYLON

## PRODUCT SPECIFICATIONS

Product Code

BAG5817

Options

BAG5817 BL - Blue  
BAG5817 RD - Red

*^ Please specify options when ordering*

## PAC FIRE'S "WHEELIE BIG" STOW BAG

A convenient, durable bag for storage and transportation of structural PPE, including structural fire helmet, clothing, boots, personal belongings and more.





## MEDIUM GEAR STOW BAG

The medium gear stow bag is a great storage and transportation solution for firefighters and emergency services personnel. Manufactured with two compartments, the medium stow bag allows for separate storage of PPE and personal items.

- Heavy duty rip stop, water resistant nylon outer
- Webbing carry handles
- All metal components
- Two separate waterproof internal compartments
- External access to concealed boot compartment
- One external end pocket with zip closure
- Wide mouth top opening - zip length 55cm
- Removable padded shoulder strap
- Easy cleaning both inside and out
- Colours Available: Blue / Red
- Printing available at an additional cost
- Dimensions: (L) 57cm x (W) 30cm x (H) 40cm
- 120mm x 150mm clear window for names



RED NYLON



BLUE NYLON

### PRODUCT SPECIFICATIONS

Product Code	BAG5816
Options	BAG5816 BL - Blue BAG5816 RD - Red



## RESCUE BUDGIE BAGS

Rescue budgie bags are lightweight and robust - perfect for emergency services personnel. The budgie bag has four convenient internal pockets so PPE and personal items can be stored separately.

- Heavy duty rip stop, water resistant nylon outer
- 4 separate internal compartments
- 2 external water bottle carriers
- Two-way metal zips
- External mesh pockets
- Internal Hydration bladder compartment
- Chest Strap
- External reflective stripes
- Padded shoulder strap, carry handle and backpack straps
- Colours Available: Blue / Red
- Printing available at an additional cost
- Dimensions: (L) 28cm x (W) 50cm x (H) 25cm



RED NYLON



BLUE NYLON

### PRODUCT SPECIFICATIONS

Product Code	BAG2388
Options	BAG2388 BL - Blue BAG2388 RD - Red

^ Please specify options when ordering



BAG5814  
SMALL BAG



## HELMET BAG

Securely store and protect your helmet with one of Pac Fire's padded helmet bags. Available in small for rescue and wildland firefighting helmets and medium for structural fire helmets

- Heavy duty polyester
- Padded lining
- Comfortable carry/hanging handle
- Available in Medium (for structural fire helmets) and Small (for wildland fire and rescue helmets)

## HELMET MESH SLING BAG

The helmet sling bag is a convenient and inexpensive way to store and carry your helmet.

- Made from knitted, brushed polyester
- Drawstring closure
- Shoulder strap
- Fits structural fire, wildland fire and rescue helmets

### PRODUCT SPECIFICATIONS

Product Code	BAG5814 - Small: Wildland fire and rescue helmets BAG5813 - Medium: Structural fire helmets
--------------	--

### PRODUCT SPECIFICATIONS

Product Code	A115210
--------------	---------

DOT-01  
ALL-ROUND



## DOT SYSTEMS STORAGE DEVICES

The DOT system incorporates storage devices for contaminated protective clothing and equipment. DOT Bags are encapsulation systems developed for fire and rescue personnel - reducing exposure from contaminated PPE during handling and transport.

DOT bags are easy to work with, safe and specially adapted for fire and rescue vehicles.

- Available in two styles: DOT-01 All Round and DOT-02 Equipment
- For the safe stowage and transportation of contaminated PPE
- Made from Polyester reinforced with polyvinyl chloride
- Can be cleaned and reused
- Compact shape for easy transport or storage
- DOT-02 features a handy contamination indicator on the handle which can display green for clean or red for soiled

### PRODUCT SPECIFICATIONS

Product Code	DOT-01 - DOT All Round & Protective Clothing DOT-02 - DOT Equipment
Application	Structural Firefighting

^ Please specify options when ordering

NEW



## STRUCTURAL FIREFIGHTING ENSEMBLE TRANSPORTATION BAG

A compact, durable transportation bag ideal for transporting soiled structural gear, flash hood and gloves between incident and station laundry.

- Made from E/P PVC 0.55mm 660D
- Dual sliding zips
- Two large carry handles on gusset
- 450mm wide x 420mm high with a 150mm gusset (large enough for structural firefighting jacket and trousers)
- Two clear, name windows 210mm x 150mm (internal access) 170mm x 210mm (framed with external access)

### PRODUCT SPECIFICATIONS

Product Code	BAGPPC
--------------	--------

NEW



## MESH LAUNDRY BAG

Laundry your small items of PPE in this convenient mesh bag. Designed to prevent PPE/C from becoming tangled while maintaining items in good form while washing in machine.

- Heavy duty polyester mesh
- Dyed in black - Colourfast
- Suitable for repeated laundry in washing machine
- Drawstring cord on the opened end; sealed on the opposite end
- Toggle lock with rust-proof spring on the inside
- 450mm x 250mm

### PRODUCT SPECIFICATIONS

Product Code	BAGMESH
--------------	---------

# BAGS & STORAGE OPTIONS

RAKRFSS-3/20+  
SINGLE SIDED - 3 BAYS



RAKSEC-20+  
SECURITY KIT - SINGLE  
BAY (OPTIONAL)

RAKRRWM-3/20+  
WALL MOUNTED - 3 BAYS



## RED RACK™ FREESTANDING

Heavy duty Red Rack™ Freestanding compartments can be customised around a station's existing floorplan and expanded to meet growing personnel needs.

- Made from heavy-duty, tubular steel with a red powder coated finish
- Available in single or double sided bays
- Compartments are 50cm wide
- Security kit for single sided (lockable door, top and rear panel - RAKSEC-20+) and double sided (lockable door, top and rear panel RAKDSSEC-20+) available

### EACH COMPARTMENT INCLUDES

2	Apparel hooks per locker unit	1	Hanging pole the length of the unit
1	Adjustable helmet shelf	1	Name plate per locker unit
1	Adjustable boot shelf		

## RED RACK™ WALL MOUNTED

Get organised with the wall mounted modules from Ready Rack. They are fast and easy to install with handy directions included with every module.

- Made from heavy-duty, tubular steel with a red powder coated finish
- Compartments are 50cm wide
- Easy to install
- Security kit (including lockable door, top and rear panels) available (RAKSEC-20+)

### EACH COMPARTMENT INCLUDES

2	Apparel hooks per locker	1	Hanging pole the length of the unit
1	Adjustable helmet shelf	1	Name plate per locker unit
1	Adjustable boot shelf		

### PRODUCT SPECIFICATIONS

Product Code	RAKRFSS - SINGLE SIDED	RAKRFDS - DOUBLE SIDED
Options	RAKRFSS-2/20+ - 2 bays RAKRFSS-3/20+ - 3 bays RAKRFSS-5/20+ - 5 bays RAKRFSS-6/20+ - 6 bays RAKRFSS-10/20+ - 10 bays RAKRFSS-15/20+ - 15 bays	RAKRFDS-4/20+ - 4 bays RAKRFDS-6/20+ - 6 bays

### PRODUCT SPECIFICATIONS

Product Code	RAKRRWM - WALL MOUNTED	
Options	RAKRRWM-1/20+ - 1 bay RAKRRWM-2/20+ - 2 bays RAKRRWM-3/20+ - 3 bays RAKRRWM-4/20+ - 4 bays RAKRRWM-5/20+ - 5 bays RAKRRWM-6/20+ - 6 bays RAKRRWM-7/20+ - 7 bays RAKRRWM-8/20+ - 8 bays	RAKRRWM-9/20+ - 9 bays RAKRRWM-10/20+ - 10 bays RAKRRWM-11/20+ - 11 bays RAKRRWM-12/20+ - 12 bays RAKRRWM-13/20+ - 13 bays RAKRRWM-14/20+ - 14 bays RAKRRWM-15/20+ - 15 bays

^ Please specify options when ordering



# BAGS & STORAGE OPTIONS



RAKMSS-3/20+  
SINGLE SIDED - 3 BAYS

## EACH COMPARTMENT INCLUDES

- 2 Apparel hooks per locker unit
- 1 Adjustable helmet shelf
- 1 Adjustable boot shelf
- 1 Hanging pole the length of the unit
- 1 Name plate per locker unit

## SINGLE SIDED SECURITY KIT (OPTIONAL)

- 1 Top security shelf
- 1 Rear security panel
- 1 Lockable door

## DOUBLE SIDED SECURITY KIT (OPTIONAL)

- 1 Top security shelf
- 1 Lockable door

## RED RACK™ MOBILE

Groves Incorporated, creators of Red Rack have been leaders in storage for over 30 years. Heavy duty Red Rack™ Mobile compartments are the perfect solution to meet a stations growing personnel needs.

- Made from heavy-duty, tubular steel with a red powder coated finish
- Includes 4 durable, swivel casters
- Available in single or double sided bays
- Compartments are 50cm wide
- Security kit (including door and top) for single sided (RAKSEC-20+) and double sided (RAKDSSEC-20+) available
- Fast and easy to assemble with detailed instructions included with every module

PRODUCT SPECIFICATIONS		
Product Code	RAKMSS SINGLE SIDED	RAKMDS DOUBLE SIDED
Options	RAKMSS-2/20+ 2 single sided bays RAKMSS-3/20+ 3 single sided bays	RAKMDS 4/20+ 4 single sided bays RAKMDS 6/20+ 6 single sided bays
Extras	RAKSEC-20+ SINGLE SIDED SECURITY KIT	RAKDSSEC-20+ DOUBLE SIDED SECURITY KIT

^ Please specify options when ordering



RAKHC-64-2T  
2 TIER MOBILE  
HOSE CART

## RED RACK™ DRY & STORE HOSE RACK

Dry and store your hose on the same unit! The Red Rack Dry and Store Hose Rack is a great solution for smaller stations.

- Top mounted drying rack and lower level storage rack
- Dries up to 270m of 38-44mm hose or 180m of 63-76mm hose
- Store up to 195m of 63mm hose
- Made from heavy duty steel with red powder coat finish
- Includes 4 durable, 125mm swivel casters
- Made in the USA

## RED RACK™ MOBILE HOSE CART

Keep hose organised with the mobile hose cart from Ready Rack. This hose cart is mounted on durable swivel casters meaning you can reposition your hoses quickly and easily.

- Keep hose organised and in easy reach
- Cut down on the fatigue related to moving hose manually
- Huge 2000kg capacity
- Supports 250m hose coils
- Made from heavy duty steel with red powder coat finish
- Includes 4 durable, 125mm swivel casters
- 2 & 3 tier options available
- Made in the USA

### PRODUCT SPECIFICATIONS

Product Code	RAKMHD-80
--------------	-----------

### PRODUCT SPECIFICATIONS

Product Code	TWO TIER RAKHC-64-2T	THREE TIER RAKHC-64-3T
--------------	-------------------------	---------------------------

<sup>^</sup> Please specify options when ordering  
\* Lead time & additional freight charges apply



# MEDICAL BAGS



## RESCUE SWAG FEATURES

- Includes a comprehensive range of medical supplies
- Modules link directly to instructions and photographs via QR code or through the app
- Each kit can be used as a sling, splint, immobilisation device and water carrier
- Easy access external pocket
- Rescue Swag includes major accidents module, minor accidents module and snake bite & burn module

### MAJOR ACCIDENTS MODULE

1	AERO First Aid Leaflet	2	AEROGLOVE Nitrile Glove Powder Free
3	AEROPLAST Amputated Parts Bags Ass.	1	AEROBAND N/W Tri. Band. 110cm x 110cm
1	AEROPLAST Thermal Blanket 127cm x 180cm	1	AEROWOUND Wound Dressing No.14
1	AEROPINS Safety Pins Bag of 12	1	AEROWOUND Wound Dressing No.15
1	AEROSHIELD Face Shield Disp.	1	AEROWOUND Combine Dressing 10cm x 20cm
1	First Aid Notebook with Pen	1	AEROWOUND Combine Dressing 20cm x 20cm
1	Scissors Sharp/Blunt 13cm S/S	1	Instruction Card

### MINOR ACCIDENTS MODULE

1	AEROPLAST Instant Ice Pack 80g	2	AEROWIPE Cleansing Wipes
1	AEROPAD Low Ad. Dressing 7.5cm x 10cm	5	AEROPROBE Splinter Probes 3.7cm
1	AEROPAD Low Ad. Dressing 5cm x 5cm	1	Forceps 13cm Stainless Steel
2	AEROSWAB Gauze Swabs 3pcs 7.5cm x 7.5cm	25	AEROPLAST Fabric Strip 72mm x 19mm

### PRODUCT SPECIFICATIONS

Product Code	RS1120
--------------	--------

### ALSO AVAILABLE WORKPLACE RESCUE SWAG

The Workplace Rescue swag is the first first-aid solution developed specially for the workplace. It's been adapted to meet the Safe Work Australia First Aid in the Workplace Code of Practice requirements, to Outdoor and Remote Level.

### PRODUCT SPECIFICATIONS

Product Code	RS1123
--------------	--------

1	AEROFORM Conforming Band. 10cm x 1.5m	5	AEROWASH Eye Wash Liquid Ampoule 15ml
2	AEROPAD Eye Pads 5.5cm x 7.7cm	1	Eye Bath Plastic Blue
1	AEROAID Antiseptic Tube 25g	1	Instruction Card
1	AEROPORE Micro. Paper Tape 1.25cm x 5m	1	Red Aluminium Torch Whistle
6	AEROWIPE Povidone Iodine Swabs 60 x 33mm		

### SNAKE BITE & BURNS MODULE

1	AEROFORM Con. H/Weight Band. 15cm x 1.5m	1	AEROPAD Low Ad. Dressing 7.5cm x 10cm
1	AEROFORM Con. H/Weight Band. 10cm x 1.5m	1	AEROBURN Burn Dressing 10 x 10cm
1	AEROCREPE Elas. Crepe Band. 10cm x 1.5m	3	AEROBURN Burn Gel Sachet 3.5g
1	AEROBURN PE Burn Sheet 60cm x 90cm	1	1 Large Clear Plastic Water Liner
1	AEROPAD Low Ad. Dressing 10cm x 10cm	1	Instruction Card



## MOBILE FIRST AID SOLUTION

Rescue Swag was developed to keep you safe during life's adventures, wherever you are, whatever you do.

Originally featured on entrepreneurial cult television show, "The Shark Tank", the Rescue Swag was developed after creator Tracey Beikoff came off her horse and identified the need for a mobile first aid solution that was more than just bandaids and gauze.

M5101TB  
OMNI™ PRO  
MAIN BAG



M5101A  
AIRWAY INTUBATION  
TRI FOLD MODULE



M5101J  
MEDKIT MEDICATIONS  
MODULE



M5101C  
XTRA FILL PACK  
MODULE

## OMNI™ PRO SYSTEM

OMNI™ PRO is a professional solution, built to help you rapidly and proficiently deploy medical care during critical moments and save lives. Built from the strongest materials and a smart design, and the versatility to modify to your requirements, the OMNI PRO™ delivers a customisable and organised option for the storage and transportation of your equipment

- Organise the main compartment of the OMNI™ PRO with the slider system
- Overlapping panels secure internal contents
- Grommet holes allows all compartments to be air dried while the bag is completely closed
- Designed for use as a backpack, shoulder bag, can be carried briefcase style, or can be grabbed from any position using a system of light weight comfort-grip side handles
- Features fully padded lumbar support
- Oversized YKK zippers
- PVC lined back and bottom resists water and wear
- Customise the OMNI™ PRO Bag with the airway intubation module, Xtra Fill module and MEDKIT medications module
- OMNI™ PRO is compatible with TS2 Ready™ modules

### PRODUCT SPECIFICATIONS

Product Code	M5101
Options	M5101HV HiVis Infection Control Material M5101F Red Infection Control Material M5101TB Tactical Black Infection Control Material
Modules (sold separately)	M5101A Airway Intubation Tri Fold Module - Infection Control Material M5101C XTRA Fill Pack Module - Infection Control Material M5101J MEDKIT Medications Module - Infection Control Material

^ Please specify options when ordering  
\* Some options may attract additional lead time

M5108TB  
RECOVER PRO  
MAIN BAG



M5101C  
XTRA FILL PACK  
MODULE



M5101C  
INSIDE VIEW



## RECOVER PRO SYSTEM

Recover Pro allows professionals to rapidly deploy emergency oxygen during critical moments. Built from the durable material and components, this smart design, Recover Pro delivers a customisable approach to the storage and transportation of oxygen delivery systems.

- Using Recover Pro's EZ-Grab pull bars, the two main panels of the bag quickly opens to reveal the oxygen cylinder
- Internal dual full length mesh pockets accommodate masks and tubing
- Dual outer zippered pockets offer additional storage for smaller items.
- Detachable buckled loops allow you to attach the Recover Pro to the side of an ambulance cot for patient transport
- Grommet holes allows all compartments to be air dried while the bag is completely closed
- Adjustable sternum and waist belt, lumbar support
- Oversized YKK zippers
- PVC lined back and bottom resists water and wear
- Customise the Recover Pro Bag Xtra Fill module
- Recover Pro is compatible with TS2 Ready™ modules

### PRODUCT SPECIFICATIONS

Product Code	M5108TB
Options	M5108FN-HV HiVis Infection Control Material M5108FN Red Infection Control Material M5108TBN Tactical Black Infection Control Material
Modules (sold separately)	M5101C XTRA Fill Pack Module - Infection Control Material

^ Please specify options when ordering  
\* Some options may attract additional lead time

M5107  
MULE PRO  
MAIN BAG



M5101C  
XTRA FILL PACK  
MODULE



M5101J  
MEDIKIT  
MEDICATIONS  
MODULE



M5101A  
AIRWAY INTUBATION  
TRI FOLD MODULE



M5101L  
X2 DOUBLE FILL PRO  
*\*equipment not included  
with module*



## M.U.L.E PRO SYSTEM

M.U.L.E PRO is for the professional who wants it all. It's a field tested roller bag, a harness style backpack and can be carried as a briefcase. M.U.L.E PRO is constructed from the strongest materials and components. The smart design allows the bag to be completely customised to meet an individuals personal preference and expanded by up to 50% with the addition of optional modules.

- Inner foam construction maintains shape and protects contents
- COMFORT-GRIP carry handles with reflective logos on sides of the bag
- Hideaway adjustable, padded, contoured yoke backpack strap harness system easily distributes weight for maximum comfort
- Customisable internal main compartment using SLIDERS™ System
- Three external zippered pockets for quick access
- Adjustable sternum and waist belt, lumbar support
- Oversized YKK zippers
- PVC lined back and bottom resists water and wear
- Customise the Recover Pro Bag Xtra Fill module
- All compartments have air dry capability

### PRODUCT SPECIFICATIONS

Product Code	M5107 - Tactical Black Infection Control Material
Modules <i>(sold separately)</i>	M5101A Airway Intubation Tri Fold Module - Infection Control Material M5101C XTRA Fill Pack Module - Infection Control Material M5101J MEDIKIT Medications Module - Infection Control Material M5101L X2 Double Fill Pro M5107-PC PC Mule Protective Travel Sleeve

^ Please specify options when ordering  
\* Some options may attract additional lead time



# TOOLS & ACCESSORIES



## ORIGINAL QUICK FIST® CLAMP

Quick Fist® Original mounts easily to keep shovels, axes, hoses and other tools securely in place.

- Made from UV resistant, heavy duty, transportation grade rubber
- Each clamp supports a safe working load of 11kg
- Holds objects 25mm to 57mm in diameter
- Mounts easily with 1 x #10 bolt or screw
- Mounting area 64mm x 19mm
- Secure storage solution for emergency vehicles, work trucks, military, all terrain vehicles and boats

### PRODUCT SPECIFICATIONS

Product Code	QF10012
--------------	---------

## MINI QUICK FIST® CLAMP



Quick Fist® Mini is great for mounting fishing rods, wire bundles, small flashlights, hand tools, brooms, and poles. Can also be used to mount objects to a pipe or round tubing

- Made from UV resistant, heavy duty, transportation grade rubber
- Each clamp supports a safe working load of 11kg
- Holds objects 16mm - 32mm in diameter
- Mounts easily with 1 x #10 bolt or industrial adhesive
- Mounting area 38mm x 38mm.

### PRODUCT SPECIFICATIONS

Product Code	QF30055
--------------	---------



## SUPER QUICK FIST® CLAMP

The Super Quick Fist® is an ideal storage solution for air tanks, fire extinguishers, nitrous oxide tanks, scuba tanks and more.

- Made from UV resistant, heavy duty, transportation grade rubber
- Each clamp supports a safe working load of 23kg
- Holds objects 64mm to 240mm in diameter
- Mounts easily with 3 x #10 bolts or screws
- Mounting area 152mm x 22mm

### PRODUCT SPECIFICATIONS

Product Code	QF20023
--------------	---------



## QUICK FIST® XL CLAMP

Quick Fist® XL is the largest clamp in the range - two straps hold objects with a diameter of 381mm and supports 68kg.

- Made from UV resistant, heavy duty, transportation grade rubber
- Quick Fist® XL clamps are a pair of straps which support a safe working load of 68kg with a break strength of 136kgs
- Holds objects up to 381mm in diameter
- Each strap mounts easily with 4 x #10 bolts or screws.
- Mounting area 51mm x 51mm.

### PRODUCT SPECIFICATIONS

Product Code	QF60023
--------------	---------

## GO BETWEEN QUICK FIST® CLAMP



Go Between Quick Fist® has been designed to hold tools and equipment with a diameter between 44mm to 73mm.

- Made from UV resistant, heavy duty, transportation grade rubber
- Each clamp supports a safe working load of 23kg
- Holds objects 44mm to 73mm in diameter
- Mounts easily with 2 x 6mm bolts or screws
- Mounting area 25mm x 89mm.
- Ideal for securing items like 50mm pike pole, battering rams, nozzles, pipe, struts and more

### PRODUCT SPECIFICATIONS

Product Code	QF80023
--------------	---------

## NOZZLE QUICK FIST® CLAMP



The Nozzle Quick Fist® holds objects with a diameter of 70mm - 83mm with a safe working load of 23kgs.

- Made from UV resistant, heavy duty, transportation grade rubber
- Each clamp supports a safe working load of 23kg
- Holds objects 70mm - 83mm in diameter
- Mounts easily with 1 x #10 bolt or screw
- Mounting area 113mm x 32mm.

### PRODUCT SPECIFICATIONS

Product Code	QF50052
--------------	---------

## QUICK FIST® LONG ARM CLAMP



Quick Fist® Long Arm is a solution for tools with handles or equipment that coils - like hoses, cords or rope.

- Made from UV resistant, heavy duty, transportation grade rubber
- Each clamp supports a safe working load of 23kg
- Holds objects 13mm - 114mm in diameter
- Mounts with 2 x 6mm bolts or #14 wood or sheet metal screws, plus washers

### PRODUCT SPECIFICATIONS

Product Code	QF40023
--------------	---------



## FIXED WAND FIRE DRIP TORCH

The Surefire Fixed Wand Fire Lighter is an excellent tool for burning out and fire line ignition.

The Surefire has a wand manufactured from 12mm stainless steel tube and a fibreglass filled wick covered with galvanised perforated steel sheeting.

Due to the Surefire being fitted with an anti-flash loop and non-return valves, its safety is second to none.

- Runs on 25% Petrol (Gasoline) and 75% Diesel
- 4.5 Litre Capacity
- 12mm stainless steel tube and a fibreglass filled wick covered with galvanised perforated steel sheeting
- Shamrock green in line with AFAC approved colouring for fuel storage containers

### PRODUCT SPECIFICATIONS

Product Code	BCRPFL FW G
Application	Wildland Firefighting
Certification	AS/NZS 2906



## GENFO FIREFIGHTING BACKPACK

GENFO is a collapsible bushfire knapsack designed to assist firefighters approaching wildland fires

- Holds up to 18 litres of water
- Thermally welded flexible tank manufactured in canvas reinforced with synthetic fabric
- Ideal for mop-up, control and extinguishing tasks for forest fires
- Measures 490 x 650mm
- Adjustable Nozzle (Jet / Fog)
- Reach: Jet: > 8m / Fog: > 3m
- Pistol grip trigger
- Flow: 120cc/stroke
- Inlet: 100mm Diameter
- Carry via central handle and back straps

### PRODUCT SPECIFICATIONS

Product Code	I200549
Application	Wildland Firefighting

## GENERAL DUTY RESCUE DUMMY

The General Duty dummies are ideally suited for almost any land rescue situation. They have anatomically correct weight distribution and the uncanny 'feel' of an unconscious patient.

The General Duty dummy can be used in more extreme rescue scenarios such as hazmat, foul drain, sewer or other toxic situations.

- Body constructed from heavy duty polyester with all seams double stitched. High density polypropylene webbing provides extra strength and durability
- Protective overalls keep the dummy clean, and greatly increases the lifespan. The overalls are made of tough polyester material  
Dummies 20kg and over are supplied complete with gum boots
- Anatomically correct weight distribution to give the 'feel' of an unconscious casualty
- The shaped head allows the fitting of all types of immobilisation collars.
- General Duty dummies can safely be used in scenarios with temperatures up to 100°C.
- Ideal for wet or dry rescue conditions
- Easy clean - hose down and hang dry
- Bariatric model available
- Accessories available
- Made in Britain

### PRODUCT SPECIFICATIONS

Product Code	LTRLN
Options	LTRLN5 - BABY: 70cm (height) x 5kgs LTRLN10 - TODDLER: 90cm (height) x 10kgs LTRLN20 - YOUTH: 130cm (height) x 20kgs
	LTRLN20A - ADULT 180cm (height) x 20kgs LTRLN30 - ADULT: 180cm (height) x 30kgs LTRLN50 - ADULT: 180cm (height) x 50kgs LTRLN70 - ADULT: 180cm (height) x 70kgs

*^ Please specify options when ordering*

*\* Lead time & additional freight charges apply*

General Duty dummies should not be exposed to excessive temperatures (over 100°C) or naked flame. Not suitable for submersion in water. Please ask about other ranges of LifeTec manikins available for your specific application.





## FIRE HOUSE RESCUE DUMMY

LifeTec manikins are designed to represent the correct anatomic weight distribution of a real person.

The fire house rescue dummy is available in several different options to mimic a real life situation and will withstand temperatures of around 160°C at floor level.

- Body constructed from the same flame retardant Polyester reinforced with 38mm Nomex<sup>®</sup> webbing
  - Protective overalls are non-flammable; constructed from a special Nomex<sup>®</sup> blend material and reinforced with Nomex<sup>®</sup> webbing to improve abrasion resistance
- Fitted with 20mm Kevlar<sup>®</sup> ties, as standard Velcro fastenings melt at high temperature
- Anatomically correct weight distribution to give the 'feel' of an unconscious casualty.
  - Tough enough to withstand being buried under concrete or steel lintels
  - Soft body joints eliminate the risk of pinch welts and bruising; common injuries when using plastic bodied manikins.
  - An immobilisation/extrication collar can be fitted around the neck of our adult manikins to promote proper casualty care.
  - Supplied with overalls, boots and separate Nomex<sup>®</sup> hood to cover the head, which are easily replaced if damaged.
  - Made in Britain

PRODUCT SPECIFICATIONS	
Product Code	LTRLFH
Options	LTRLFH5 - BABY: 70cm (height) x 5kgs LTRLFH10 - TODDLER: 90cm (height) x 10kgs LTRLFH20 - YOUTH: 130cm (height) x 20kgs
	LTRLFH30 - ADULT: 180cm (height) x 30kgs LTRLFH50 - ADULT: 180cm (height) x 50kgs LTRLFH70 - ADULT: 180cm (height) x 70kgs

<sup>^</sup> Please specify options when ordering  
<sup>\*</sup> Lead time & additional freight charges apply

Fire House dummies should not be exposed to excessive temperatures or naked flame. Not suitable for submersion in water. Please ask about other ranges of LifeTec manikins available for your specific application.



## AC HOT STICK

The AC Hot Stick is a safety device designed for professional rescuers which provides warning of exposed high voltage AC from a safe distance. Hot Stick will give early audible and visual warning signalling dangerous voltages without the need to contact the surface carrying the current.

- Provides early warning that high voltage AC is nearby
- Safe and simple to use
- Exceptionally sensitive
- Warnings delivered by beeping and flashing LED's (audio and visual)  
Warning signals speed up when approaching the hazard
- Affordable and reliable
- Compact and portable
- Powered by 4 x AA alkaline batteries
- A great resource for search & rescue, fire, vehicular extrication, confined space rescue, Hazmat, disaster operations, power restoration, industrial work, trench rescue and law enforcement



### PRODUCT SPECIFICATIONS

Product Code

HSBN900502



PRO1161  
DIESEL - 10L

PRO1163  
DRIP TORCH - 10L

PRO1162  
25:1 TWO STROKE - 10L

PRO1160  
ETHANOL - 10L

PRO1096  
UNLEADED - 10L

## JERRY CANS

Pac Fire's metal jerry cans are AFAC approved and available in a range of sizes and options. Each Jerry Can is supplied with a matching plastic tag.

- Available in 5, 10 & 20 litre capacities
- Tough, durable and corrosion resistant
- Passes all drop tests and will not leak under pressure
- No loss of integrity under Standards flame tests
- Supplied with matching plastic tag (also available separately)
- World patented locking-pin
- Meets Defence Force Specifications (BAM)
- AFAC approved colours

### PRODUCT SPECIFICATIONS

Certification	AS/NZS 2906:2001
---------------	------------------

*^ Please specify options when ordering*

### APPROVED ACCESSORIES

Jerry Can Holder (for 10L Jerry Cans)	PRO0974
Lockable Jerry Can Holder (for 20L Jerry Cans)	PRO0980
Jerry Can Pourer	PRO0993C
Jerry Can Pourer Clip (for 5L Jerry Cans)	PRO0990C
Jerry Can Pourer Clip (for 10 & 20L Jerry Cans)	PRO0991C
Flexible Jerry Can Pourer (Unleaded)	PRO13300
Flexible Jerry Can Pourer (Diesel)	PRO23300
SUPER CAN Flexible Jerry Can Pourer (Unleaded)	PRO13355
SUPER CAN Flexible Jerry Can Pourer (Diesel)	PRO23355
Jerry Can Replacement Rubber Seal (3 pack)	PRO0995C
Jerry Can Tag - Clear (ea)	PRO1048

# TOOLS & ACCESSORIES



PRODUCT OPTIONS	5L JERRY CAN	10L JERRY CAN	20L JERRY CAN
Unleaded - Red	PRO1095	PRO1096	PRO1097
Ethanol - Orange	-	PRO1160	PRO1150
Diesel - Olive Yellow	PRO1172	PRO1161	PRO1151
25:1 Two Stroke - Bottle Green	PRO1173	PRO1162	PRO1152
Drip Torch - Shamrock Green	PRO1174	PRO1163	PRO1153
Chain & Bar Oil - Bright Blue	PRO1176	PRO1165	PRO1155
Kerosene - Powder Blue	PRO1177	PRO1166	PRO1156
50:1 Two Stroke - Pipeline Grey	PRO1179	PRO1167	PRO1157
Oil - Black	PRO1180	PRO1168	PRO1158
Deto-Stop - Green	PRO0967	PRO0966	PRO0965
Deto-Stop - Red	PRO094-1	PRO0973	PRO0972

SINGLE TAG	5 PACK TAG	METAL TAG
PRO1040	PRO1040+	PRO1040M
PRO1051	-	-
PRO1041	PRO1041+	PRO1041M
PRO1042	PRO1042+	PRO1042M
PRO1044	PRO1044+	PRO1044M
PRO1045	PRO1045+	PRO1045M
PRO1050	-	-
PRO1043	PRO1043+	PRO1043M
PRO1046	PRO1046+	PRO1046M



## MINIMALIST CONDITION MONITORING

The Kestrel 3000 pocket weather meter gives you real conditions in real time.

This highly portable and reliable device has become an important tool in wildland firefighting.

The Kestrel 3000 takes a minimalist approach to gathering vital weather and environmental data. It has become common accessory for fire departments in their field calibration kit.



## WEATHER METER FEATURES

- Large, easy to read display
- 3-Button Control
- Data Hold Function
- Kestrel 3000 measures temperature, barometric pressure, relative humidity, heat stress index, dewpoint, wind chill, current wind speed, average wind speed and maximum wind gust
- The unit is waterproof and floats
- Temperature Sensor (Patented External Isolated)
- Includes lanyard and slip-on protector
- Drop-Tested to MIL-STD-810G
- Assembled in the USA



WATERPROOF



IMPACT RESISTANT

### PRODUCT SPECIFICATIONS

Product Code	MK3000
Certification	Ingress Protection IP67 NEMA-6 CE certified RoHS and WEEE compliant



## KESTREL 3500 WEATHER METER

The Kestrel 3500 weather meter is an easy to operate, feature rich device that is trusted by firefighters around the world. This model includes wetbulb and baro/alt measurements in addition to the features found in the popular 3000 model.

- Reliable, portable, and easy to use
- Kestrel 3500 measures barometric pressure, altitude, relative humidity, heat stress index, dewpoint, wet bulb temperature, wind chill, current wind speed, average wind speed and maximum wind gust
- Wide range of wind speeds and low startup speed
- High precision pressure sensor
- Data hold function
- Large, easy to read display
- The device is waterproof and floats
- Lanyard & slip on protector included

### PRODUCT SPECIFICATIONS

Product Code	MK3500
Certification	Ingress Protection IP67 NEMA-6 CE certified RoHS and WEEE compliant



## KESTREL BELT CLIP CASE

The belt clip case fits and protects any of the Kestrel Meters.

- Made from sturdy, padded, triple laminate of polyurethane, vinyl and nylon
- Neoprene rubber inside to hold the Kestrel weather meters snugly
- Rugged clip works with up to a 56mm wide belt
- Hook/loop closure
- Designed with a battery holder and front pocket

### PRODUCT SPECIFICATIONS

Product Code	MK0805
--------------	--------



## HOSE RAMP

Protect your hose from vehicle damage with this heavy duty hose ramp. Pac Ramp supports hose up to 70mm in diameter.

- Heavy duty reinforced rubber construction
- Can be joined together for extra width with bone connectors
- Four silver reflective stripes for visibility
- For hose up to 70mm in diameter
- Dimensions: 609mm x 384mm x 90mm
- Weighs 13.5kgs



Find a selection of Pac Fire's hoses and fittings on page 64

### PRODUCT SPECIFICATIONS

Product Code	PAC RAMP75
--------------	------------



M22-000600  
HOOLIGAN TOOL  
WITH STANDARD  
CLAW



M22-000622  
HOOLIGAN TOOL  
WITH METAL  
CUTTING CLAW

## HOOLIGAN TOOLS

Hooligan (halligan type) tools are traditionally used in forcible entry situations. These heavy-duty tools were designed to pound, puncture, pry, twist, and cut all types of barriers encountered by emergency service personnel.

- Head and claw are forged from heat treated, high alloy steel
- Body is a stress proof bar
- The bar is machine grooved to create a non-slip grip
- The pike is long, sharp, tapered and gently curved to fit a lock or latch
- The duckbill is long with a smooth incline to force windows and doors
- 750mm total length
- Machine sharpened claws
- Claw opening is parallel and fits over locks, hasps and many door bars
- Available with standard or metal cutting claw end

### PRODUCT SPECIFICATIONS

Product Code	M22-000600 Standard claw end	M22-000622 Metal cutting claw end
--------------	---------------------------------	--------------------------------------



## FIBREGLASS HD BAR

This tool is used mainly where forcible entry is required.

The non-conductive handle makes it a great solution for electrified or non-electrified situations.

- Head and claw are forged from heat treated, high alloy steel
- 750mm total length
- Claw opening is parallel and fits over locks, hasps and many door bars
- The pike is long, sharp, tapered and gently curved to fit a lock or latch
- The duckbill is long with a smooth incline to force windows and doors
- 750mm total length
- Machine sharpened claws
- Non-conductive fibreglass shaft
- No-slip celtex grips
- Ideal for Hybrid automobiles

### PRODUCT SPECIFICATIONS

Product Code	FHUHDNC-30
--------------	------------



## PULASKI FIRE AXE

The Pulaski Axe is a combination axe and mattock, ideal for chopping, digging fire lines in hard or soft soils.

- Combined axe and mattock
- Precision ground and tempered cutting edges
- Durable and lightweight fibreglass handle

### PRODUCT SPECIFICATIONS

Product Code	FHUPUL-5
--------------	----------

Application	Wildland Firefighting
-------------	-----------------------



## STANDARD FIRE AXE

Pac Fire's standard fire axe can be used in all manner of firefighting applications including chopping, battering, door stop and more.

- Traditional axe head shape with pick end
- Precision ground and tempered cutting edges
- Cutting edges coated with clear lacquer, body coated with red enamel
- Durable and lightweight fibreglass handle

### PRODUCT SPECIFICATIONS

Product Code	FHUFAP-6
--------------	----------

Application	Structural Firefighting
-------------	-------------------------



## BLUE TANG® HYDRALLOY DROP POINT KNIFE

The Blue Tang® HYDRALLOY® knife is built rugged, with a serrated edge and a hooked end for cutting through all types of rope and line. It is the ultimate safety tool.

- Drop point HYDRALLOY® blade
- Stainless steel knife butt is insulated from blade to eliminate metal to metal corrosion
- Quick disassembly for cleaning
- Serrated edge for cutting rope and line
- Hooked edge line cutter
- 127mm hollow ground, double edge blade
- Knife sheath included

### PRODUCT SPECIFICATIONS

Product Code UKT530084



## VICTORINOX RESCUETOOL

Victorinox worked with rescue professional for years to refine the design of the Rescue-Tool pocket knife.

Each tool is optimised for left and right handed users. It's the knife we hope you never have to use - but when every second counts, you can count on the RescueTool.

- Large lock blade for one handed opening
- Storage pouch included
- Tool length: 133mm
- Total weight: 240g
- Luminescent body
- Rescue tool includes: Phillips screwdriver, window breaker, strong screwdriver, crate opener with cap lifter and wire stripper, seatbelt cutter, disc saw for shatterproof glass, Reamer / punch, tweezers and toothpick

### PRODUCT SPECIFICATIONS

Product Code MVIC-08623.MWN



## RESQME® CAR ESCAPE TOOL

ResQMe® is a keychain, car escape tool. This 2 in 1, safety and survival tool, allows you to cut a jammed seatbelt and break a side window in your car.

Originally developed for first responders ResQMe® has become an safety solution for all motorists.

- An affordable, portable and reliable car escape tool
- Made from heavy duty and durable ABS plastic and stainless steel components
- Breaks car side windows
- Cuts jammed safety belts
- Compact, lightweight & powerful
- Patented technology
- Made in the USA

### PRODUCT SPECIFICATIONS

Product Code ZYTX010YE



## SMALL TRAFFIC CONE

Traffic Cones are a great way to make a workplace, road or public area safe from dangers, hazards and lane closures.

- Robust PVC construction
- High visibility fluro body colour
- 150mm reflective collar made from Reflexite
- Rubber base measuring 26.5cm x 26.5cm with feet
- Weight: 1.4kg
- 450mm high



## LARGE TRAFFIC CONE

Pac Fire's large traffic cones are generally used on roads or footpaths to temporarily redirect traffic in a safe manner, can create separation or merge lanes during road construction projects or automobile accidents.

- Robust PVC construction
- High visibility fluro body colour
- 250mm reflective collar made from Reflexite
- Rubber base measuring 26.5cm x 26.5cm with feet
- Weight: 3.25kg
- 700mm high



## RUBBER WHEEL CHOCK

Wheel chocks are a must-have for any loading dock environment.

This moulded rubber wheel chock is sloped to increase holding capacity.

- Manufactured from moulded rubber
- Durable construction resists tearing, abrasion and weathering
- Meets OSHA requirements
- Includes rope strap
- Dimensions: 260mm x 160mm x 190mm
- Weight: 3.0kg

### PRODUCT SPECIFICATIONS

Product Code PAC DH-TC-45

Certification AS 1742


### PRODUCT SPECIFICATIONS

Product Code PAC DH-TC-70

Certification AS 1742

### PRODUCT SPECIFICATIONS

Product Code PAC DH-WC-1+



# CLEANING & RESPONDER HEALTH

**NEW**

RW13460  
LIEUTENANT'S PACK



RW13160  
CHIEF'S PACK



## RESPONDER WIPE FEATURES

- Designed specifically to meet firefighters needs
- Wipes effectively clean dirt, oil, soot and other hydrocarbons from the skin
- Formulated with Micellar Water, an innovative cleansing compound that effectively dissolves hydrocarbons
- Micellar Water returns much needed hydration to parched skin
- Two wipe sizes: Extra Large 30 x 60cm (RW13160) and Regular 20 x 20cm (RW13460)
- Two packaging options: 15 Individually packaged wipes (RW13160) and 20 wipes in dispenser pack (RW13460)
- Resealable packs prevent wipes drying out / wastage
- 3 year shelf life



**PARTICULATE PROTECTION**



**SAFE CLEANING OF FACE & NECK AREA**



**ENDORSED BY HEALTHY FIREFIGHTERS**

### PRODUCT SPECIFICATIONS

Product Code	RW13160 - Chief's Pack RW13460 - Lieutenant's Pack
Options	Chief's Pack (15 Individually packaged, extra large wipes) Lieutenant's Pack (20 dispenser pack, regular wipes)
Certification	Healthy Firefighter Approved Product

*^ Please specify options when ordering*

## FAST & EASY ON THE SCENE CLEAN

Responder Wipes® have been designed and formulated specifically to meet firefighters unique needs.

Infused with Micellar Water, the wipes effectively clean dirt, oil, soot and other hydrocarbons from the skin. Micelles not only removes toxins and contaminants but also returns much needed hydration to the skin that is lost while working in hot and demanding conditions.

Their convenient packaging options reduce waste and makes Responder Wipes® perfect for use while still attending an incident.



KL200  
MEDIUM FIT



## LIFE LINERS PARTICULATE BLOCKING FLASH HOOD

The Life Liners particulate blocking flash hood is designed to deliver both comfort and protection while blocking potentially harmful carcinogens from entering the body via absorption through the skin.

- Two piece design with 15cm front with 20cm back
- Separate head with sewn on back and front bib. Back of head ends at the nape of the neck for improved fit and comfort
- Easy-Seal Face opening that goes on easy and seals tight.
- 100% Nomex® thread
- Outer Layer Fabric: 49% Kermel / 49% Lenzing FR/ 2% Spandex  
Inner Layer Fabric: Stedair Prevent
- All head and bib seams are sewn with a flat lock stitch
- 3.8cm binding sewn to hem through folder with a three thread cover stitch to create a 1.25cm finished bound hem



PARTICULATE PROTECTION



THREE SIZES  
SMALL, MEDIUM  
& LARGE



DUAL LAYER CONSTRUCTION

### PRODUCT SPECIFICATIONS

Product Code	KL200
Colour Options	Blue & Tan
Application	Structural Firefighting
Sizes	Small, Medium & Large
Certification	NFPA 1971:2018

^ Please specify a size when ordering

**DOT-01**  
ALL ROUND &  
PROTECTIVE  
CLOTHING



**DOT-02**  
EQUIPMENT



## DOT SYSTEMS STORAGE DEVICES

The DOT system incorporates storage devices for contaminated protective clothing and equipment. DOT Bags are encapsulation systems developed for fire and rescue personnel - reducing exposure from contaminated PPE during handling and transport.

DOT bags are easy to work with, safe and specially adapted for fire and rescue vehicles.

- Available in two styles: DOT-01 All Round and DOT-02 Equipment
- For the safe storage and transportation of contaminated PPE
- Made from Polyester reinforced with polyvinyl chloride
- Can be cleaned and reused
- Compact shape for easy transport or storage
- DOT-02 features a handy contamination indicator on the handle which can display green for clean or red for soiled



**CLEANING &  
MAINTENANCE**



**DECONTAMINATION**



**ENDORSED  
BY HEALTHY  
FIREFIGHTERS**



**SCAN THE QR CODE  
FOR VIDEO CONTENT**

### PRODUCT SPECIFICATIONS

Product Code	DOT-01 - DOT All Round & Protective Clothing DOT-02 - DOT Equipment
Application	Structural Firefighting

*^ Please specify options when ordering*

**NEW**



## RED RACK WASHING EXTRACTOR

A solution for local routine washing that will accommodate 1-2 complete sets of structural firefighting garments.

- Follows NFPA 1851 guidelines
- Can wash 1-2 sets of structural PPC per load
- Full wash cycle: 25-35 minutes
- Patented tub design
- Stainless steel inner and outer tubs
- Easy soft-mount installation
- No transmission or agitator to replace and no lower water seals
- Fewer moving parts results in longer life expectancy
- Complete with manual /manufacturer's warranty
- 65 x 67.5 x 105cm (height 140cm with top load door up)
- Weight: 87kgs
- Made in the USA

### PRODUCT SPECIFICATIONS

Product Code	RAKPPE-EW
--------------	-----------

**NEW**



## RED RACK DRYING CABINET

A safe drying solution with simple controls and factory preset temperatures. This cabinet ensures proper drying temperature for each item of PPC. The Red Rack drying cabinet will accommodate two full sets of structural PPC.

- Follows NFPA 1851 guidelines
- Factory preset temperatures
- Easy to use
- Comes complete with: (2) PPE hangers, hanging pole, (2) built-in door racks and (2) flat shelves
- Made of heavy-duty steel construction with white powder coated finish
- Additional accessories available
- Complete with manual /manufacturer's warranty
- 169 x 57.5 x 62cm
- Weight: 88kgs
- Made in the USA

### PRODUCT SPECIFICATIONS

Product Code	RAKPPE/2G
--------------	-----------

*\* Lead time & additional freight charges apply*

**NEW**



## SC-14 ALL-PURPOSE CLEANER

SC-14 is an all-purpose cleaner and degreasing agent that not only removes dirt, grease and grime - but also cleans away contaminants and carcinogens.

SC-14 has been formulated to remove dirt and contaminants without compromising the integrity of the item your cleaning.

- For routine cleaning of helmets, equipment and surfaces
- Easy to use, all purpose cleaning and degreasing solution
- Effective on grease, grime soil and hydrocarbons
- Cleans away potentially harmful contaminants and carcinogens
- Compact shape for easy transport or storage
- Environmentally friendly, biodegradable and non-corrosive formula
- Free from potentially damaging sodium hydroxide and sodium metasilicate
- Available in a convenient 946ML spray bottle
- Tested and approved by the industry leading helmet manufacturer - Pacific Helmets

**NEW**



FS-C-001-4  
TECHNICAL TEXTILE DETERGENT

FS-C-032-6  
PRE-TREATMENT SPRAY

## CITROSQUEEZE® PRE-TREATER AND TECHNICAL DETERGENT

NFPA 1851 compliant CITROSQUEEZE® is the recommended technical detergent available for safely cleaning oil, soot, grease and other contaminants from all types of PPC and FR clothing.

- For routine cleaning of all PPC and FR clothing
- Easy to use, high performance cleaning solution
- Effective on dirt and grime
- Environmentally friendly, biodegradable formula
- 20 years / 2 million sets of gear without a single incident of damaging apparel
- Available in a 946ML spray bottle "pre-treatment" or a bulk 3.78L jug
- Tested and approved by the industry leading textile manufacturers: Bristol Uniforms, Dupont - for cleaning Nomex®, Southern Mills - for cleaning PBI® and Kevlar® fabrics, W.L. Gore & Assocs. - (Germany) for cleaning Gore-tex®, 3M Products - for cleaning specific Scotchlite® Retroreflective Fire Coat Trims

### PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATIONS	
Product Code	SC-14F-032-6
Options	SC-14F-032-6 - All Purpose Cleaner - 946ML Spray Bottle (Box of 6 bottles)

Product Code	FS-C
Options	FS-C-032-6 - Pre-Treatment - 946ML Spray Bottle (Box of 6 bottles) FS-C-001-4 - Technical Textile Detergent - 3.78L Jug (Box of 4 jugs)
Certification	NFPA 1851

^ Please specify options when ordering







## PAYMENT TERMS

- The establishment of a credit account is at the discretion of Pac Fire.
- Standard terms for credit accounts is payments within 30 days.
- Pac Fire may close or put a hold on credit accounts at any time.
- Pac Fire reserves the right to close any accounts which have not been used in 12 months.
- If a credit account has not been established, Pac Fire will require payment for goods prior to shipment. Payment can be made via credit card (Visa or Master Card), electronic funds transfer (EFT) or cheque.
- If payment is made by EFT or cheque, funds must be cleared into the Pac Fire bank account before goods can be dispatched.

## FREIGHT

- Pac Fire will arrange freight of goods unless a specific carrier or mode of transport has been nominated by the purchaser.
- Pac Fire's responsibility for the delivery of the goods ends when the elected freight provider has taken possession of the goods

## INSPECTION

- The buyer shall examine the products upon receipt and Pac Fire shall not be responsible for mis-delivery, shortage, defect or damage to the products unless the purchaser notifies Pac Fire within seven (7) days from the date of delivery.

## RETURNS

- Pac Fire may, in its absolute discretion, accept the return of standard products to the credit of the purchaser provided prior written approval from one of its authorised representatives is obtained. Goods are to be returned to the nearest Pac Fire branch, unused, undamaged, if possible in original packaging and at the expense of the purchaser within fourteen days of taking receipt of the goods.

## TRADEMARKS

Pacific Helmets and Pac Fire New Zealand are trademarks or registered trademarks of Pacific Safety International

3M is a trademark of the 3M Company

DuPont, Kevlar and Nomex are trademarks or registered trademarks of E.I. du Pont de Nemours and Company

HAINSWORTH is a trademark or registered trademark of A W Hainsworth & Sons Limited

PBI and PBI MAX are trademarks or registered trademarks of PBI Performance Products, Inc

OTEP and DSVS are trademarks or registered trademarks of Pacific Helmets (NZ) Ltd

GORE, GORE-TEX, WINDSTOPPER, CROSSTECH, DRYLOCK, AIRLOCK and PARALLON are trademarks or registered trademarks of W. L. GORE & ASSOCIATES, INC.

Blue Tang, GATORLITE, HYDRALLOY and Vizion are trademarks or registered trademarks of Underwater Kinetics, LP

Eflare is a trademark or registered trademark of Eflare Corporation Pty Ltd

Quick Fist is a registered trademark of End Of The Road, Inc.

ResQMe is a registered trademark of Laurent Colasse

CITROSQUEEZE is a registered trademark of Solutions Safety Products & Services, Inc.

Red Rack is a trademark or registered trademark of Groves Inc

Meret & Omni are trademark or registered trademark of Cramer-Decker Industries

## SPECIAL THANKS

To our suppliers who provided product images for inclusion in the catalogue.

# PACFIRE

## OUR LOCATIONS

NEW ZEALAND BRANCH  
315 Heads Rd  
WHANGANUI 4541  
NEW ZEALAND

PH: +64 6 344 7391

QUEENSLAND BRANCH  
62 Link Dr  
YATALA QLD 4207  
AUSTRALIA

PH: +61 7 3441 7100

SOUTH AUSTRALIA BRANCH  
4/48 Barwell Ave  
KURRALTA PARK SA 5037  
AUSTRALIA

PH: +61 8 8297 1477

+64 6 3447391

sales@pacfirenz.com

[WWW.PACFIRENZ.COM](http://WWW.PACFIRENZ.COM)

